

>



Model Number: 36406E3

Kleenrite 36406E3 Edge Extractor 11Gal 100psi 2/2Vacs No Heat

Manufacturer: KleenRite

*** Built to order, expect over 30 days to receive ***

The EDGE®; 3 has an individual solution and waste tanks (11 gallon solution/11.5 gallon waste), a large opening on the waste tank with a rotationally molded vacuum connection lid. The solution and vacuum connection are on the front of the machine and the waste discharge is on the rear of the machine.

All machines in the EDGE®; Series offer you many choices in pump, vacuum and heater configurations. Preheat capability, which allows you to heat the solution tank prior to cleaning and vacuum silencing, making your EDGE®; very quiet (72 db), are available depending on the model you choose. All units include 25' of solution and vacuum hose and 25' of power cord(s).

Construction Features

- Rotationally molded polyethylene base, tank and handle assembly with "rain gutter" lip between tank, base and internal components for spill proof operation
- Metal reinforced base, axle and tank to base integral hinge assembly
- Gray faux granite finish helps hide water marks and scratches
- 10" non-marking rear wheels and 3" swivel casters
- Vacuums are inverted to help retard unintended moisture
- Internal solution hoses are high pressure and high temperature rated with brass fittings

Serviceability

- All Edge®; models open like a "clam shell" for easy access to components
- Components can be easily replaced with a few simple tools in a very short time
- Components utilize a plug-in system for wiring so each component can be easily unplugged and replaced, leaving no doubt as to how to reconnect wires
- Threaded brass fittings on internal solution hoses allow for ease in component change

>

All items marked with an "X" are included with this machine

Pump

100psi pressure pump
X

200psi pressure pump

Adjustable to 300psi

Adjustable to 500psi

Vacuum

Dual 2 Stage Vacuum Motors (Series)

Dual 2 Stage Vacuum Motors (Parallel)
X

Single 3 Stage Vacuum Motor

Dual 3 Stage Vacuum Motors (Series)

>

Dual 3 Stage Vacuum Motors (Parallel)

Heating

Rapid Pre-Heating

Pre-Heat / Clean Mode

1750 Watt Heat Exchanger

500 / 1750 watt Heat Exchanger

1750 Watt Immersion Heater

Circuit Indicator

Wands and Hoses

12 Inch Single Bend Wand
X

12 Inch Double Bend Wand

>

25 Foot Vaccum, and Solution Hose Set

X

Accessories

QuietRite System

Availability: This product was added to our catalog on Monday 30 July, 2007