

>



Model Number: 4HTHP

Little Giant 4HTHP 180000 BTU Propane High Pressure (1000psi) Water Heater Only \*\*3 MONTH Backorder\*\*

Manufacturer: Little Giant

These high pressure propane heaters are just what you need to get your Truck Mount or portable extractor steamin' like you like it! Just add the bottle and the propane regulator and you are in business. Ready to melt grease, tar, gum, wax, and other heavy traffic lane soil away effortlessly.

High pressure unit is designed for 1300 psi while the standard Little Giant heaters are designed for 600 psi.

Be sure to mount options listed below:

a safety pressure 1) Relief Valve, PR1000PSI - and  
Gas Pressure Regulator, Model #204-00 140,000 BTU/Hr for No. 1, No. 2, No. 3  
Hotomatic®; Heater  
- Spark Ignitor, Model V-1

RHA is 6 ft gas hose

RHA12 is 12 gas hose

Important Note: It is extremely necessary that the Gas Pressure Regulator used to supply the heater with LP Gas has a capacity rating higher than the consumption of the heater. Too small a regulator will decrease the gas flow, the gas pressure and the amount of hot water produced. The Model #204-00 Regulator is rated at 140,000 BTU/Hr., which is sufficiently sized to supply the gas for Models #1, #2 or #3 Hotomatic®; heaters. The Model LV4403C9 Regulator is rated at 575,000 BTU/Hr., which is the model we recommend for the #4 HT Hotomatic. The top water inlet is 1/4" Mip. No pressure hose or 90 degree elbow is provided. If you need a pressure hose or brass fitting to hook up your heater, please let us know.

A gas supply hose that is too small will reduce the flow rate of the LP Gas. This reduces the gas pressure at the burner and the amount of hot water produced. Use a 1/2" I.D. Hose minimum for the #1, #2 or #3 HT Hotomatic heaters. Use a 3/4" I.D. Hose for the #4 HT Hotomatic heater.

Hotomatic #4 can be ordered in a 1000 or 2000 PSI model.

Size: 17 3/4 x 17 3/4 x 30" Prime; High

We Have Been Making Water Heaters Since 1904. This long tradition of efficient performance is the result of rigid control of manufacturing details and the use of the finest materials and craftsmanship available. Little Giant Water Heaters have proven to be dependable under the true test of constant daily use. They will provide long, care free service and the maximum is satisfaction.

Be sure to check with your local state rules on using propane.

Always store and use propane bottles outside.

Read more about propane use at

>

<http://www.rrc.state.tx.us/media/8606/homesafehome.pdf>

Little Giant Set Up Diagram  
Little Giant Use Instructions  
Optional

Magnetic Clamp-On Water Softener Descaler for Truckmount & Portable  
Carpet Cleaning Machines 20260425

- Helps prevent scale buildup in pipes, coils, heaters, and carpet cleaning heat exchangers
- Reduces or eliminates routine monthly descaling in many applications
- Clamp-on installation &mdash; no cutting, plumbing, salt, chemicals, or cartridge replacement
- Maintenance-free design &mdash; no salt, resin, plastic pellets, filters, or media to flush
- Improves heat transfer efficiency by helping keep mineral buildup off heater surfaces
- May improve water flow / GPM by helping reduce mineral restriction over time
- Only 4 inches long for installation in tight areas on portable and truckmount equipment
- Longer Equipment lifespan

Propane and Natural Gasline Pipe Thread Sealing (Teflon) Tape 1/2 in X 260  
inches 20170513

Question: Does the 4HTHP have electronic ignition?  
Answer; No

>

*Availability: This product was added to our catalog on Thursday 03 April, 2008*

Steambrite Supply