Shurflo 2088-514-500, 12 volts 45psi, Bypass 4gpm, Santoprene Pump



Model Number: 2088-514-500

Shurflo 2088-514-500, 12 volts 45psi, Bypass 4gpm, Santoprene Pump

Manufacturer: Shurflo

2088 Series Diaphragm Pump
Standard Bypass No Control Pump (12VDC)

Steambrite Supply

Shurflo 2088-514-500, 12 volts 45psi, Bypass 4gpm, Santoprene Pump



Shurflo 2088-514-500, 12 volts 45psi, Bypass 4gpm, Santoprene Pump

Model

2088-514-500

Description

4.0 GPM open flow, Santoprene® valves, Santoprene® diaphragm, 45 PSI Bypass, 1/2" MSPT ports (1/2" - 14 National American Straight Pipe Thread, requires SHURflo swivel type fittings), Poly Housing

Voltage

12 VDC

PSI

10

20

30

40

Steambrite Supply

Shurflo 2088-514-500, 12 volts 45psi, Bypass 4gpm, Santoprene Pump

50

BAR

0.7

1.4

2.1

2.8

3.4

GPM

3.5

3.2

2.5

1.6

0.6

Steambrite Supply

Shurflo 2088-514-500, 12 volts 45psi, Bypass 4gpm, Santoprene Pump

L/min
13.2
12.1
9.5
6.1
2.3

Amps
8.0
9.5
11.0
11.6
13.0

Steambrite Supply

Shurflo 2088-514-500, 12 volts 45psi, Bypass 4gpm, Santoprene Pump

Steambrite Supply

International shipping?

.Optional:

Shurflo 255-315 Swivel Nut Strainer filter X 1/2" Barbed Plastic

Availability: This product was added to our catalog on Wednesday 02 July, 2008