Equipment: Hard Surface Cleaning Supplies > Pressure Washer Accessories > Couplers and QD > Clean Storm 8.709-524.0, Brass Pressure Washer Twist Seal Coupler, 22mm Female x 1/4in FIP Socket, 4000 PSI, N10027

Clean Storm 8.709-524.0, Brass Pressure Washer Twist Seal Coupler, 22mm Female x 1/4in FIP Socket, 4000 PSI, N10027



Model Number: 8.709-524.0

Clean Storm 8.709-524.0, Brass Pressure Washer Twist Seal Coupler, 22mm Female x 1/4in FIP Socket, 4000 PSI, N10027

Manufacturer: Clean Storm

Clean Storm 8.709-524.0, Brass Pressure Washer Twist Seal Coupler, 22mm Female x 1/4in FIP Socket, 4000 PSI

Description

The Clean Storm 8.709-524.0 Brass Pressure Washer Twist Seal Coupler is engineered for high-performance cleaning application durability and heavy-duty reliability. Designed to withstand up to 4000 PSI and maximum water temperatures of 302°F, this robust coupler provides a secure, leak-free connection between standard 22mm fittings and 1/4" FIP threaded pressure washing attachments. Its precision-engineered twist seal mechanism ensures hassle-free manual connection and disconnection without compromising system pressure.

Features

- High-Pressure Capability: Rated up to 4000 PSI for demanding commercial and residential cleaning tasks.
- Durable Brass Construction: Heavy-duty solid brass body offers excellent corrosion resistance and extended working life.
- Heat Resistant: Rated for high-temperature water applications up to 302°F.
- Twist-Seal Connection: Allows quick, reliable hand-tight connection without extra tools.
- Versatile Compatibility: Fits standard M22 fittings (22mm Female) with a 1/4" Female Iron Pipe (FIP) thread connection.

Specifications

Brand	Clean Storm
Model Number	8.709-524.0

Equipment: Hard Surface Cleaning Supplies > Pressure Washer Accessories > Couplers and QD > Clean Storm 8.709-524.0, Brass Pressure Washer Twist Seal Coupler, 22mm Female x 1/4in FIP Socket, 4000 PSI, N10027

Clean Storm 8.709-524.0, Brass Pressure Washer Twist Seal Coupler, 22mm Female x 1/4in FIP Socket, 4000 PSI, N10027

Material
Solid Brass

Inlet / Outlet Connection
22mm Female x 1/4" FIP Socket

Max Working Pressure
4000 PSI

Max Water Temperature
302°F

Cross Reference SKUs

331205PA

87095240

85.300.124

85.300.124BEP

26.0240.20

N10027

5344

Steambrite Supply

Equipment: Hard Surface Cleaning Supplies > Pressure Washer Accessories > Couplers and QD > Clean Storm 8.709-524.0, Brass Pressure Washer Twist Seal Coupler, 22mm Female x 1/4in FIP Socket, 4000 PSI, N10027

Clean Storm 8.709-524.0, Brass Pressure Washer Twist Seal Coupler, 22mm Female x 1/4in FIP Socket, 4000 PSI, N10027

50.152

Availability: This product was added to our catalog on Tuesday 03 June, 2014

Steambrite Supply