Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1510C 6in Closed Spray Stair Upholstery Wand 300 PSI Brass Valve, Stainless Steel Pipe

PMF S1510C 6in Closed Spray Stair Upholstery Wand 300 PSI Brass Valve, Stainless Steel Pipe



Model Number: S1510C

PMF S1510C 6in Closed Spray Stair Upholstery Wand 300 PSI Brass Valve, Stainless Steel Pipe

Manufacturer: Production Metal Forming

PMF S1510C 6in Closed Spray Stair Upholstery Wand - 300 PSI Brass Valve
PMF Part Number: S1510C
Cleaning Width: 6 Inches
Maximum Pressure: 300 PSI
Spray Style: Closed / Enclosed Spray
Valve: Brass
Construction: Stainless Steel
IMPORTANT: THIS LISTING IS FOR THE PMF S1510C 300 PSI CLOSED-SPRAY MODEL.
The PMF S1510C is a professional 6-inch closed-spray stair and upholstery cleaning wand designed for carpeted stairs, upholstery, automotive interiors, office partitions, and other areas where a full-size carpet cleaning wand is difficult to use.
Built by Production Metal Forming / PMF, the S1510C features durable stainless-steel construction, a 300 PSI brass solution valve, an extra-long handle with assist handle, and a removable stainless-steel Visiflo spray jet.
PMF S1510C Specifications

Manufacturer
Production Metal Forming / PMF

Part Number
S1510C

Product Type
Closed Spray Stair / Upholstery Cleaning Wand

Cleaning Width
6 Inches

Maximum Pressure
300 PSI

Spray Configuration
Closed / Enclosed Spray

PMF S1510C 6in Closed Spray Stair Upholstery Wand 300 PSI Brass Valve, Stainless Steel Pipe

Valve
Brass

Construction
Stainless Steel, including nuts and bolts

Spray Jet
Removable Stainless Steel Visiflo Jet

Applications
Carpeted Stairs, Upholstery, Automotive Interiors and Detail Cleaning

Quick Disconnect Included?
No

6 Inch Closed Spray Stair Cleaning Tool
The compact 6-inch cleaning head makes the PMF S1510C especially useful for cleaning stair treads, risers, upholstered furniture, vehicle interiors, and other confined areas where a conventional carpet cleaning wand is too large.
The closed-spray design contains the solution spray within the cleaning head. According to PMF, this design helps retain heat and prevent overspray.
This can be especially useful when cleaning close to walls, furniture, trim, upholstery, or other surfaces where controlling solution spray is important.
300 PSI S1510C Model
The S1510C is PMF's 300 PSI closed-spray version of its 6-inch stair tool.
PMF offers several pressure configurations of the same closed-spray stair tool:

- PMF S1510C - 300 PSI Closed Spray
- PMF S1511C - 500 PSI Closed Spray
- PMF S1512C - 800 PSI Closed Spray
- PMF S1513C - 1250 PSI Closed Spray

Verify the operating pressure required for your carpet extractor or truckmount before ordering.
Stainless Steel Professional Construction
The S1510C is manufactured with stainless-steel construction, including the nuts and bolts, for professional carpet and upholstery cleaning applications.
An extra-long handle with an assist handle gives the technician additional leverage

PMF S1510C 6in Closed Spray Stair Upholstery Wand 300 PSI Brass Valve, Stainless Steel Pipe

when working on heavily soiled carpeted stairs and upholstery.
The stainless-steel Visiflo spray jet can be removed for inspection and cleaning when necessary.
Closed Spray vs Open Spray
PMF manufactures both open-spray and closed-spray versions of this 6-inch stair tool.
Closed spray: Helps contain the solution spray inside the cleaning head, retain heat, and reduce overspray.
Open spray: Leaves the spray pattern exposed and visible during operation.
For technicians working around upholstery, walls, trim, office partitions, vehicle interiors, or other areas where overspray is a concern, the S1510C closed-spray configuration may be preferable.
Quick Disconnect Not Included
A solution hose quick disconnect is not included with this tool.
If your extractor or truckmount setup requires a quick disconnect, select the appropriate carpet-cleaning solution-hose connector separately or choose an available quick-disconnect option when ordering.
Common Uses

- Carpeted stair treads and risers
- Upholstered furniture
- Automotive carpet and interiors
- RV and boat interiors
- Office partitions
- Edges and confined carpeted areas
- Professional carpet-cleaning detail work

Note: Specifications and component appearance are subject to manufacturer changes. Product is supplied according to PMF part number S1510C.

Note: Quick disconnects are not included with tool. Please add connectors to your shopping cart...

Foster: 1/4in Male Brass Quick Disconnect QD

Foster: 1/4in Female Brass Quick Disconnect QD

Foster: 1/4in Male/Female Set Brass Quick Disconnect QD

Steambrite Supply

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1510C 6in Closed Spray Stair Upholstery Wand 300 PSI Brass Valve, Stainless Steel Pipe

PMF S1510C 6in Closed Spray Stair Upholstery Wand 300 PSI Brass Valve, Stainless Steel Pipe

Options available for PMF S1510C 6in Closed Spray Stair Upholstery Wand 300 PSI Brass Valve, Stainless Steel Pipe :

Quick Disconnect Coupler Needed

Female Brass Carpet Cleaners Style 1/4, Kaivac Male Quick Connect 1/4in MALE FLO-THRU Plug X BRASS 1/4" FPT [BR335], - None, Male 22mm Brass Plug Screw On, Carpet Cleaning QD35 1/8 inch Male Brass Quick Disconnect Plug Coupler 580-105 PAF03 PC10, Male Stainless Pressure Washer Style Plug 3/8, Carpet Cleaning Stainless Steel 1/4" Female Quick Disconnect QD 104QDSS-S, .Male Brass Carpet Cleaners Style (Default) 1/4, Female 22mm Brass Socket Screw On, Female Stainless Pressure Washer Coupler Style Socket 3/8, Carpet Cleaning Stainless Steel 1/4" Male Quick Disconnect QD 104QDSS NA010.

Availability: This product was added to our catalog on Tuesday 29 September, 2009

Steambrite Supply