

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel



Model Number: S1540SVC

PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

Manufacturer: Production Metal Forming

PMF S1540SVC 30-Inch Swivel-Head Closed-Spray Stair Carpet Cleaning Wand

PMF Part Number: S1540SVC

Tool Length: 30 Inches

Head Design: Swivel Head

Spray Design: Closed Spray

Spray Jets: Single Brass Vee Jet

Maximum Pressure: 1,000 PSI

Valve: PMF V1-EZ Forged-Brass Valve

Assist Handle: Padded

PTFE Glide: Not Available for Closed-Spray S1540SVC

Quick Disconnect: Sold Separately

PROFESSIONAL 30-INCH CLOSED-SPRAY STAIR CARPET EXTRACTION WAND WITH A SWIVELING CLEANING HEAD, SINGLE BRASS VEE JET AND 1,000 PSI PMF V1-EZ FORGED-BRASS SOLUTION VALVE.

The PMF S1540SVC Swivel-Head Closed-Spray Stair Tool is a professional carpet extraction wand designed specifically for cleaning carpeted stair treads, vertical stair risers, edges, corners and other confined carpeted areas.

Its distinguishing feature is the swiveling cleaning head. Instead of repeatedly twisting the entire wand and the operator's arms while moving between horizontal stair treads and vertical risers, the cleaning head can rotate into the required working position.

The S1540SVC is the closed-spray version of the PMF S1540SV swivel stair tool. A splash shield encloses the spray area to help control solution application and reduce unwanted overspray around walls, stair risers, trim, furniture and other nearby finished surfaces.

Swivel Head for Stair Treads and Risers

Traditional fixed-head stair wands can require substantial repositioning when alternating between horizontal stair treads and vertical risers. The PMF S1540SVC allows the cleaning head to swivel independently of the upper wand position.

After extracting the stair tread, the technician can rotate the head into position for the riser. This makes the tool particularly useful for repetitive professional stair-cleaning work.

The swivel-head configuration is useful for:

- Horizontal carpeted stair treads
- Vertical carpeted stair risers
- Stair edges and corners
- Confined carpeted areas
- Detail carpet extraction
- Working around furniture and other obstacles

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1540SVC 30in Swivel Head
Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

Closed-Spray Cleaning Design

The S1540SVC uses a closed-spray configuration. The spray area is enclosed by a stainless-steel splash shield while remaining open toward the carpet so cleaning solution can reach the surface being extracted.

This configuration helps keep the spray directed toward the carpet and can reduce accidental overspray onto surrounding surfaces.

A closed-spray stair wand can be particularly useful when working close to:

- Painted stair risers
- Walls and baseboards
- Wood trim
- Furniture
- Finished flooring adjacent to carpet
- Other surfaces where overspray should be minimized

30-Inch Ergonomic Stair-Wand Design

At approximately 30 inches long, the S1540SVC provides substantially more reach than a conventional short upholstery or stair hand tool while remaining compact enough to maneuver on residential and commercial stairways.

A padded assist handle provides an additional gripping point for controlling the wand and swivel head during extraction.

Single Brass Vee Spray Jet

The S1540SVC uses a single brass Vee spray jet to apply cleaning solution immediately ahead of the extraction opening.

Solution is sprayed toward the carpet inside the closed-spray area and is then recovered, along with suspended soil and moisture, through the vacuum pickup head.

PMF V1-EZ 1,000 PSI Forged-Brass Valve

Current-production PMF S1540SVC stair tools use the PMF V1-EZ forged-brass solution valve and are rated for operating pressures up to 1,000 PSI.

This is an important update from older versions and older product literature that identified the S1540SVC as a 500 PSI tool using the previous V2P valve.

PMF S1540SVC Features

- Professional stair and detail carpet extraction wand
- 30-inch ergonomic long-handle design
- Swiveling extraction head
- Closed-spray configuration
- Stainless-steel spray splash shield
- Single brass Vee solution jet
- PMF V1-EZ forged-brass solution valve
- Maximum operating pressure: 1,000 PSI
- Padded assist handle
- Designed for carpeted stair treads and risers
- Useful for edges, corners and confined carpet-cleaning applications
- Quick disconnect sold separately

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1540SVC 30in Swivel Head
Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet
Cleaning Wand 1000 PSI V1-EZ Stainless Steel

S1540SVC Closed Spray vs. S1540SV Open Spray

Feature
S1540SVC
S1540SV

Tool Length
30 Inches
30 Inches

Head
Swivel
Swivel

Spray Configuration
Closed Spray
Open Spray

Jets
1 Brass Vee Jet
1 Brass Vee Jet

Maximum Pressure
1,000 PSI
1,000 PSI

Valve
V1-EZ Forged Brass
V1-EZ Forged Brass

Optional PTFE Glide
No
Yes - AC33-S1540

Choose the S1540SVC closed-spray version when controlling overspray around

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1540SVC 30in Swivel Head
Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

walls, trim, furniture and other nearby surfaces is a priority.

Choose the S1540SV open-spray version when an exposed spray configuration is preferred or when you want the option of installing PMF's AC33-S1540 PTFE glide.

Specifications

Manufacturer
Production Metal Forming / PMF

Manufacturer Part Number
S1540SVC

Product Type
Stair Carpet Extraction Wand

Tool Length
30 Inches

Head Design
Swivel

Spray Design
Closed Spray

Number of Spray Jets
1

Spray Jet
Brass Vee Jet

Maximum Pressure
1,000 PSI

Solution Valve
PMF V1-EZ Forged Brass

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1540SVC 30in Swivel Head
Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

Assist Handle
Padded

PTFE Glide Compatibility
Not Available for S1540SVC Closed-Spray Model

Quick Disconnect
Not Included - Sold Separately

Important Ordering Information

Quick disconnect fittings are not included with this tool. Select the appropriate solution-hose quick disconnect separately for your carpet extraction system.
PTFE glide note: PMF specifies its optional AC33-S1540 glide for the open-spray S1540SV only. It is not available for the S1540SVC closed-spray configuration.
Older literature may describe the S1540SVC as a 500 PSI tool equipped with a V2P valve. Current PMF factory specifications identify the S1540SVC as a 1,000 PSI closed-spray stair tool equipped with the V1-EZ forged-brass valve.

"Made in the USA."

Note: Quick disconnects are not included with tool. Please add connectors to your shopping cart...

Foster: 1/4in Male Brass Quick Disconnect QD

Foster: 1/4in Female Brass Quick Disconnect QD

Foster: 1/4in Male/Female Set Brass Quick Disconnect QD

Compare to current or past OEM associations:
OE-TMSTC-EA
S1540SVC
S1540SVC-500

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ Stainless Steel

S1540SVC-500psi
PM-S1540SVC

<https://www.jondon.com/stair-tool-truck-mount-swivel-head.html> \$436.00
<https://www.prolinesupply.com/store/product683.html> \$357.00
<https://www.prochemsupply.com/pmf-30-swivel-head-stair-tool-open-closed-spray-500psi-s1540sv/> \$326.00
-->

Options available for PMF S1540SVC 30in Swivel Head Closed Spray Stair Carpet Cleaning Wand 1000 PSI V1-EZ

Stainless Steel :

Shipping Surcharges

+ Signature Required On All Deliveries.

Quick Disconnect Coupler Needed

Carpet Cleaning QD35 1/8 inch Male Brass Quick Disconnect Plug Coupler 580-105 PAF03 PC10, Male Stainless Pressure Washer Style Plug 3/8, Carpet Cleaning Stainless Steel 1/4" Female Quick Disconnect QD 104QDSS-S, .Male Brass Carpet Cleaners Style (Default) 1/4, Female 22mm Brass Socket Screw On, Female Stainless Pressure Washer Coupler Style Socket 3/8, Carpet Cleaning Stainless Steel 1/4" Male Quick Disconnect QD 104QDSS NA010, Female Brass Carpet Cleaners Style 1/4, Kaivac Male Quick Connect 1/4in MALE FLO-THRU Plug X BRASS 1/4" FPT [BR335], - None, Male 22mm Brass Plug Screw On.

Availability: This product was added to our catalog on Tuesday 29 September, 2009