

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve



Model Number: S1530C

PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

Manufacturer: Production Metal Forming

PMF S1530C 40-Inch Closed-Spray Stair Carpet Cleaning Wand

PMF Part Number: S1530C

Tool Length: 40 Inches

Pickup Head Width: 9-1/4 Inches

Spray Design: Closed Spray

Spray Jets: Dual Concealed Vee Jets

Maximum Pressure: 1,000 PSI

Valve: PMF V800-EZ Forged-Brass Valve

Construction: Stainless Steel

Vacuum-Hose Connection: 1-1/2 Inches

Quick Disconnect: Sold Separately

PROFESSIONAL 40-INCH CLOSED-SPRAY STAIR AND DETAIL CARPET WAND WITH A 9-1/4-INCH STAINLESS-STEEL HEAD, DUAL CONCEALED JETS AND A 1,000 PSI PMF V800-EZ FORGED-BRASS VALVE.

The PMF S1530C Long-Handle Stair Tool is a professional stainless-steel carpet extraction wand designed for cleaning carpeted stairs, underneath beds and desks, around furniture and in other difficult-to-reach carpeted areas.

Unlike the open-spray PMF S1530, the S1530C incorporates a welded stainless-steel closed-spray enclosure around the spray chamber. This enclosure conceals the dual spray jets, directs cleaning solution downward toward the carpet and helps reduce overspray onto walls, stair risers, furniture and nearby surfaces.

The S1530C operates at approximately a 15-degree angle from the floor. Its long 40-inch configuration provides substantially more reach than a conventional short stair or upholstery tool, helping the operator clean stairs and reach underneath furniture while working from a more comfortable position.

Closed-Spray Cleaning Head

The stainless-steel splash shield encloses the spray jets behind the pickup head and leaves the bottom of the spray chamber open toward the carpet. This controlled spray design offers several practical benefits:

- Helps retain heat within the spray chamber
- Reduces overspray onto walls, furniture and stair risers
- Directs cleaning solution downward toward the carpet
- Provides better spray control in confined or furnished areas
- Protects the spray jets behind the stainless-steel enclosure

PMF V800-EZ 1,000 PSI Forged-Brass Valve

The PMF S1530C is equipped with the PMF V800-EZ forged-brass solution valve, rated for professional carpet-cleaning systems operating at pressures up to 1,000 PSI. Its long operating lever provides convenient solution control from the insulated upper hand grip.

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

The external stainless-steel solution line supplies the two concealed brass Vee jets located inside the closed-spray chamber. This dual-jet arrangement provides solution coverage across the 9-1/4-inch cleaning path.

PMF S1530C Features

- 40-inch long-handle stair and detail carpet extraction wand
- 9-1/4-inch-wide stainless-steel pickup head
- Closed-spray stainless-steel splash shield
- Dual concealed brass Vee spray jets
- PMF V800-EZ forged-brass solution valve
- Maximum operating pressure of 1,000 PSI
- All-stainless-steel wand construction
- Stainless-steel external solution line
- Stainless-steel nuts and bolts
- Padded adjustable assist handle
- Black vinyl upper grip helps protect the operator from heat
- Operates approximately 15 degrees from floor level
- 1-1/2-inch vacuum-hose connection
- Made in the USA

Specifications

Manufacturer
Production Metal Forming / PMF

Part Number
S1530C

Product Type
Closed-Spray Stair and Detail Carpet Extraction Wand

Tool Length
40 Inches

Pickup Head Width
9-1/4 Inches

Vacuum-Hose Connection
1-1/2 Inches

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1530C 40in Closed Spray Stair
Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

Operating Angle
Approximately 15 Degrees from Floor Level

Spray Configuration
Closed Spray

Number of Jets
2 Concealed Brass Vee Jets

Maximum Operating Pressure
1,000 PSI

Solution Valve
PMF V800-EZ Forged-Brass Valve

Solution Line
Stainless Steel

Construction
Stainless Steel

Assist Handle
Padded and Adjustable

Upper Hand Grip
Black Heat-Protective Vinyl

Quick Disconnect
Not Included Unless Specifically Selected

Country of Manufacture
USA

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

Ideal Applications

- Carpeted stair treads and risers
- Cleaning underneath beds and furniture
- Cleaning underneath desks and office furniture
- Apartments and residential carpet cleaning
- Hotels and hospitality facilities
- RV and motorhome carpet cleaning
- Commercial carpet-detailing work
- Professional portable carpet extractors
- Truckmount carpet-cleaning systems

PMF S1530C Closed Spray vs. S1530 Open Spray

Model
Spray Design
Primary Advantage

PMF S1530C
Closed Spray
Helps retain heat and control overspray in confined areas

PMF S1530
Open Spray
Provides direct visibility and easier access to the spray jets

Why Choose the Closed-Spray S1530C?

The S1530C is particularly useful when cleaning next to painted walls, stair risers, furniture or other surfaces where uncontrolled spray could create additional cleanup. Its enclosed spray chamber helps keep solution concentrated beneath the pickup head while the dual jets provide coverage across the cleaning path.

The combination of a 40-inch handle, 9-1/4-inch cleaning head, dual concealed jets and 1,000 PSI V800-EZ valve makes the S1530C suitable for professional cleaners who need the reach of a small carpet wand with the controlled spray performance of an enclosed stair tool.

Quick-Disconnect Notice: A solution-hose quick-disconnect coupler is not included with the standard tool unless specifically selected from the available product options. Add the appropriate male or female quick disconnect when ordering if required for your extractor or solution hose.

Equipment: Carpet Cleaning Machines > Wand > Stair Wands > PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

Operating Notice: Do not exceed the tool's maximum rated operating pressure of 1,000 PSI. Confirm that all hoses, couplers and related components are properly rated for the pressure and temperature being used.

Product Notice: Manufacturer specifications and component configurations can change during production. Products are fulfilled according to the PMF part number and options selected when ordering.

Please add connectors to your shopping cart...

Foster: 1/4in Male Brass Quick Disconnect QD

Foster: 1/4in Female Brass Quick Disconnect QD

Foster: 1/4in Male/Female Set Brass Quick Disconnect QD

Options available for PMF S1530C 40in Closed Spray Stair Carpet Wand 9-1/4in Head 2 Jet 1000 PSI V800-EZ Valve

:

Quick Disconnect Coupler Needed

- None, Male 22mm Brass Plug Screw On, Carpet Cleaning QD35 1/8 inch Male Brass Quick Disconnect Plug Coupler 580-105 PAF03 PC10, Male Stainless Pressure Washer Style Plug 3/8, Carpet Cleaning Stainless Steel 1/4" Female Quick Disconnect QD 104QDSS-S, Male Brass Carpet Cleaners Style (Default) 1/4, Female 22mm Brass Socket Screw On, Female Stainless Pressure Washer Coupler Style Socket 3/8, Carpet Cleaning Stainless Steel 1/4" Male Quick Disconnect QD 104QDSS NA010, Female Brass Carpet Cleaners Style 1/4, Kaivac Male Quick Connect 1/4in MALE FLO-THRU Plug X BRASS 1/4" FPT [BR335].

Availability: This product was added to our catalog on Tuesday 29 September, 2009