


>



Model Number: CPSPUCKKit

Innovative Surface Solutions Cheetah Puck Steps 1 to 5 Starter Kit Diamond Resin Honing Disks  
Freight Included

Manufacturer: Innovative Surface Solutions

Innovative Surface Solutions Cheetah 5" Puck Step 1 to 5 Diamond Resin Honing  
Start up kit

Eco Friendly Stone Polishing Pad - Cheetah Pucks Kit

Kit Include: Step 1 - 4 Aggressive Grit, Step 2 - 4 Moderate Grit, Step 3 - 4 Light Grit,  
Step 4 - 4 Finishing Grit - Step 5 - 1 17" Finishing Touch Polishing Pad 11,000 Grit  
(total 17 pieces)

This part number is for Steps 1 though 5.

Save \$140 off purchasing individually!

Cheetah Pucks are 5" super thick diamond discs unlike any other diamond discs on the market today. Cheetah pads can fully restore marble, travertine, limestone, terrazzo, and other natural stone floors and surfaces with NO chemicals or polishing compounds. Just use water!

We recommend the Pucks be mounted to our thick Innovative Rubber Riser. The riser acts as a cushion to make operation more comfortable and helps the Pucks glide over uneven surfaces. The rubber risers are available in 17" or 20". This riser goes on the bottom of the floor machine.

We recommend a 3-4 Puck configuration with the 17" and a 4-6 Puck configuration if you are using a 20" machine. It really is a matter of preference.

You need 3-4 Cheetah Pucks evenly spaced on a Velcro drive plate (17") on a floor machine. Why 3-4 or even 5? Some people will prefer to run only 3 to increase the psi on the segments where they contact the floor. Some prefer 4 or 5 or even 5 pucks for ease of operation and balance.

Floor Machines - 17" (175-350 rpm)

Coverage: 1500-15,000 sq. ft. per set

The Fastest Stone Restoration System on the Planet!!!

Polish like a pro Better than factory finish in less time, every time

Step 1 replaces = 100-200-400 grit to remove deep scratches

Step 2 replaces = 200-400-800 grit to remove mild to moderate scratches and etching

Step 3 replaces = 800-1500-3000 grit

Step 4 replaces = 3000-8000 grit

Steps three and four are to prepare the surface for polishing.

Recommend to have two of the 11,000 grit pads- 1 to be dedicate as a wet polish pad - 1 can dedicate as a dry polishing pad. Some surfaces can get even a little more "pop" by doing additional passes with the dry 11K.

How long will they last? Depending on stone hardness, type of equipment and proper use they'll last 1500-15,000 sq. ft. per set. That's a wide range but these factors can dramatically affect lifespan.

The pucks are made from the same material that is used on the larger Cheetah Pads.

The Pucks have Velcro on the back and attach to a riser on the bottom of your standard 175-300 rpm floor machine or planetary.

You follow the regular suggested use and instructions for the Cheetah Pads as you

>

would the Pucks. Please remember that having a full set is recommended to be prepared for any situation. You rarely to start with Step 1 on every job unless the damage is severe.

The Stone Craftsman's Dream Come True

Up to 70% reduction in labor

As much as 75% lower cost

Work well on any floor buffer, orbital or planetary machine

No heavy duty equipment required

Extremely fast cutting

Better than factory finish in less time, every time

No acidic polishing compounds or crystallizer are needed! Only water!

COMPLETELY GREEN PROCESS

Diamond Pads That Perform Stone Restoration in Half The Time

Very easy To Use

Work well on any floor buffer, orbital or planetary machine

No acidic components

Extreme concentration of micro abrasives

Works incredibly well on ALL Marbles, Travertine, Limestone, Terrazzo and Polished Concrete

Chemical free Diamond pads are an Eco Friendly way to achieve a dull hone on Travertine, Marble, or Limestone Floors, countertops or walls.

Use on floors walls or countertops with little to no lippage (uneven tiles).

Pads remove wear and provide a variety of appearance levels from dull hone (no shine) to highly polished.

Safe on all stones and tile, will not damage any stone

Professional strength formula.

Instructions

1. Sweep or vacuum to remove all abrasive soils.
2. Clean surface with Majestic Neutral Cleaner.
3. Rinse surface thoroughly.
4. Place 3-6 Cheetah Pucks evenly spaced on a Velcro drive plate on a floor machine. We recommend the Pucks be mounted to our thick Rubber Riser. 17" Floor machines usually use 4 disk while 20" floor machines usually use 5 pucks on the disk at a time.
5. 175 rpm machines work best with 30 lb drive plate. 300-350 rpm machines do not require extra weight.
6. Apply enough water to 2' x 5' area to lightly wet the surface. No need for huge puddles.
7. Move the floor machine in an oval pattern, counter clockwise to keep the water inside the work area.
8. Check surface after 15-30 seconds to see if desired results are achieved.
9. If YES, repeat steps 6-8 on the rest of the room one section at a time.
10. Overlap sections by 4" - 6" to keep an even finish.
11. If NO, repeat steps 7 & 8 until desired result with that grit is achieved (usually 15-45 seconds per 2' x 5' area).
12. Rinse whole area between grits.
13. Rinse pad thoroughly after each use and allow drying.
14. Repeat steps 6-10 with grits as you go to higher number until desired finish is achieved.

>

Optional Rubber disk are available in diameters of 5", 8", 17" and 20" in both a soft 1" thick or hard 1" thick.

If your surface has any lippage use the soft. These disk are made from a closed cell sponge rubber with velcro on one side and velcro hook on the other. Drive with any pad driver.

Buy more, Save more.

Includes the following:

Innovative Surface Solutions 17RRS 17" Soft Rubber Riser for  
Cheetah Pucks

One unit

Innovative Surface Solutions CPSPUCK1E Cheetah Puck Step 1  
Diamond Resin Honing Disk 5 Inches each

Four units



Innovative Surface Solutions CPSPUCK2E Cheetah Puck Step 2  
Diamond Resin Honing Disk 5 Inches each

Four units

Innovative Surface Solutions CPSPUCK3E Cheetah Puck Step 3  
Diamond Resin Honing Disk 5 Inches each

Four units

Steambrite Supply



Innovative Surface Solutions CPSPUCK4E Cheetah Puck Step 4  
Diamond Resin Honing Disk 5 Inches each

Four units

Innovative Surface Solutions 17MP11000 Viper Spinergy Diamond 17  
Inch Monkey Pad Each 11,000 Grit Green

One unit.

Options:

>

Koblenz Floor Machine Weight 46 lbs to add to any 1.5 hp machine 4627519

Malish: TriLok - 17 inch Pad Driver (trilock)

Floor Machine 17 Inch 1.5 Hp 175 RPM The Lightest in the Industry Koblenz  
RM RotoMold Line RM1715

---

*Availability: This product was added to our catalog on Tuesday 09 September, 2014*