

>



Model Number: TRHDCJVB8035HG

Pressure Pro Sewer Jetter Jetting Trailer 8 GPM 3500 PSI Honda GX690 GP Pump HDC Tow Pro Jet Trailer TRHDCJVB8035HG

Manufacturer: Pressure Pro

Pressure Pro TRHDCJ/VB8035HG Jetter Jetting Trailer 8 GPM 3500 PSI Honda GX690 GP Pump HDC Tow Pro Jet Trailer  
Designed for use with 3/8" ID hose.

500' x 3/8" or 350' x 1/2" capacity electric high pressure hose reel

Factory Installed

Summit Electric Hose Reel 12 Volts 3/8 inch X 550 ft 4000psi 250 degree 1/2 Fip Swivel 80lbs SME22

Chemical resistant coating

200 gallon water tank w/ float valve

Factory Installed

Pressure Pro 200 Gallon Fresh Water Tank TNK200

Poly tool box

Lights, jack w/ wheel, & safety chains

Fully tested and assembled in the USA

HD trailer (forkliftable) 3500# capacity axle, 135" L x 82" W x 60" H

Aluminum fenders, 15" wheels/tires, external grease fittings.

HDC Jetter Skid Features

Rugged powder coated steel frame

On board 15 gallon poly fuel tank

>

Factory installed  
Pressure Pro 15 Gallon Plastic Gasoline Fuel Tank IDA000879BR

Full sized battery w/ marine battery box

Factory Installed  
Pressure Pro 12 Volt Plastic Large Battery Box 9065-1

24 HP Honda Commercial/Industrial gasoline engines

Factory Installed  
Honda GX Series V-Twin OHV Engine with Electric Start &mdash;  
688cc, 1 1/8in. x 3.55in. Shaft, Model# GX690RHTAF  
or similar

Heavy duty General Pump

Factory Installed  
General Pump TSF2021 Pressure Washing Carpet Cleaning Pump  
3600psi 1750rpm (TSF-2021) 8.5 gpm 8.702-740.0  
Or Similar

Engine and pump oil drains offer easy maintenance  
V-belt drive  
Pressure regulating unloader

>

Factory Installed  
General Pump YVB4021B Unloader 4500 psi 21gpm  
or similar

Pump Mounted Jetter Pulse Valve Lever

Factory Installed  
General Pump JVK066 Jetting Valve For TSF Series 66  
or similar

Turn lever to push on center intake valve cap. This causes the valve to stay open and makes the pump pulse for improved cleaning performance. Fully adjustable.

Foot Valve w/ 8' Jumper Hoses

Factory Installed  
Suttner Jetter Foot Control Valve 5000 psi 12 gpm 300 degree 999 002  
305

6-Nozzle Rack W/ 3 Nozzles Included:

Penetrator — dislodges blockage (1 Forward Jet, 3 Back Jets)  
Flusher — flushes loose debris (6 Back Jets)  
De-icer/De-Greaser — removes grease, hard soap or even ice from heavily blocked lines (3 Forward Angle Jets, 6 Back Jets)

>

Factory Provided  
Aquanoz Sewer Jetting 3 Pack Nozzle Set With Storage Rack  
Penetrator, Flusher, De-Greaser 1/2 inch Fip

Owners Manual  
\$500 flat rate shipping to forklift location.

Options:

Does not include sewer jetter hose. Please add to order

Pressure Pro Sewer Jetting Jetter Hose 3/8 in ID X 200 ft Black 3600psi  
PRO06200S

Pressure Pro Sewer Jetting Jetter Hose 3/8 in ID X 250 ft Black 3600psi  
PRO06250S

Pressure Pro Sewer Jetting Jetter Hose 3/8 in ID X 300 ft Black 3600psi  
PRO06300S

>

Pressure Pro Sewer Jetting Jetter Hose 3/8 in ID X 350 ft Black 3600psi  
PRO06350S

Pressure Pro Sewer Jetting Jetter Hose 3/8 in ID X 400 ft Black 3600psi  
PRO06400S

Pressure Pro Sewer Jetting Jetter Hose 3/8 in ID X 450 ft Black 3600psi  
PRO06450S

Pressure Pro Sewer Jetting Jetter Hose 3/8 in ID X 500 ft Black 3600psi  
PRO06500S

>

General Pump Oil Case 24 units  
Required after the first 50 hours and then every 200 hours

Summit Electric Hose Reel Guide SM140-12B

---

*Availability: This product was added to our catalog on Wednesday 17 December, 2014*