

>



Model Number: 4230-20G1

Pressure Pro 4230-20G1 4gpm 2000psi Electric Hot Pressure Washer With Portable Cart and Tank  
6 hp 26 amp 230 volt

Manufacturer: Pressure Pro

Pressure Pro 4230-20G1 4gpm 2000psi Electric Hot Pressure Washer With Portable  
Cart and Tank  
4 Wheel Cart  
6 HP  
26 amp 230 volts

Rugged powder coated steel frame  
Super efficient schedule 80 steel coil w/ one-piece molded insulation combustion  
chamber  
Stainless steel coil exterior wrap  
8 gallon poly diesel fuel tank w/ fuel filter  
Larger 3 gpm flow rate compared to similar models by competition means faster  
cleaning with spinner and tile cleaning tools.  
Commercial/Industrial grade motors  
Reliable Beckett burners  
High limit over temp protection

225 Degree Switch Sensor 1/2" Mip with 3 Wire Leads

Controls water temperature.

Safety 2400 psi pressure relief valve

Giant: (8.722-193.0) Safety Pressure Relief POP OFF VALVE 3/8" Red  
SPRING 2400 Psi

145 degree Thermo-pump head sensor (prevents overheating in bypass mode)

>

Clean Storm Thermal Valves 200 PSI 145 Degrees F. 2 to 5 GPM  
discharge Rate Sensor

Preset water temperature at 200 degrees in 30 seconds regardless how much you  
lay on the trigger!

NOTE: 115V units include GFCI with 35' cord, All units are completely factory  
assembled, tested in the USA, and delivered ready to operate.

Gun/wand assembly with insulated grip and quick connects  
50' high pressure hose w/quick connects  
Maxi-Flo 20% chemical injector assembly w/quick connects  
4 color-coded QC spray nozzles  
1 color-coded QC chemical nozzle

Advantages: 4 gallons per minute means this unit will operate spinner surface  
cleaners and tile and grout tools.

Sales tax only collected in Texas and FL.  
Larger 8 gallon fuel tank.

Please note this unit will operate on dual 20 amp outlets if you turn the pressure down  
with optional inverter.

Factory Brochure

Owners Manual Optional

Power Joiner Step Up Inverter Pressure Washer Converts Dual 20 amp 115  
Volt outlets to allow 230 Volt 3 wire 20 amp Use (Reverse10-30R)

Clean Storm Low flow Switch to convert pressure washer for carpet cleaning

For upholstery cleaning. Lights burner at .5 gpm. Dealer installed for \$199.00

>

General Pump 100538 Dial Thermostat 86 - 250 Degrees F.

Dealer installed for \$198.00 (Pressure Pro #ATK010)

Clean Storm Pressure Washer QD to Rust Bleeder to Filtered Insulated  
Carpet Cleaners QD

[http://pressurewasherpro.myshopify.com/search?q=4230-20G1&search-button=\\$3447](http://pressurewasherpro.myshopify.com/search?q=4230-20G1&search-button=$3447)  
-->

---

*Availability: This product was added to our catalog on Saturday 03 January, 2015*