

>



Model Number: 5230VB-30G3

Pressure Pro 5230VB-30G3 5gpm 3000psi Electric Hot Pressure Washer With Portable Cart and Tank 10HP 23amp 230 volt 3 phase

Manufacturer: Pressure Pro

Pressure Pro 5230VB-30G3 5gpm 3000psi Electric Hot Pressure Washer With Portable Cart and Tank GP Pump
4 Wheel Cart
10 HP electric motor 3 phase
23 amp 230 volts

Rugged powder coated steel frame
Super efficient schedule 80 steel coil w/ one-piece molded insulation combustion chamber
Stainless steel coil exterior wrap
8 gallon poly diesel fuel tank w/ fuel filter
Larger Gpm flow rate compared to similar models by competition means faster cleaning with spinner and tile cleaning tools.
Commercial/Industrial grade motors
Reliable Beckett burners
Belt Drive Design
Vertical Flow Switch

Vertical Flow Switch Ap500 Black 3/8 in Fpt 8.712-244.0 - 410305A

High limit over temp protection

225 Degree Switch Sensor 1/2" Mip with 3 Wire Leads

Controls water temperature.

Safety Pop off Valve Prevents over Pressurization

>

Giant 8.722-190.0 Safety Pressure Relief POP OFF VALVE 3/8" ORANGE
SPRING 3600 Psi

145 degree Thermo-pump head sensor (prevents overheating in bypass mode)

Clean Storm Thermal Valves 200 PSI 145 Degrees F. 2 to 5 GPM
discharge Rate Sensor

Preset water temperature at 225 degrees in 30 seconds regardless how much you
lay on the trigger!
Rugged General Pump

General Pump TSS1511 or similar Triplex Plunger Pump 3500psi 1450rpm
4 gpm
Pump is turned 1750 to get 5 gpm.

NOTE: 230volt units include a 12 ft power cord, no plug
Built and tested in the USA, and delivered ready to operate.

Gun/wand assembly with insulated grip and quick connects
50' high pressure hose w/quick connects
Maxi-Flo 20% chemical injector assembly w/quick connects
4 color-coded QC spray nozzles
1 color-coded QC chemical nozzle

Advantages: Higher gallons per minute means this unit will operate spinner surface
cleaners and tile and grout tools.
Sales tax only collected in Texas and FL.
Larger 8 gallon fuel tank.
Cleaning Speed/Units 30,000

Factory Brochure of similar model

>

Owners Manual

Pressure Warranty

General Pump Maintenance Guide

Optional

General Pump 100538 Dial Thermostat 86 - 250 Degrees F.

Dealer installed for \$198.00 (Pressure Pro #ATK010)

Converts pressure washer for use in low pressure cleaning applications
Clean Storm Pressure Washer QD to Rust Bleeder to Filtered Insulated
Carpet Cleaners QD

[http://pressurewasherpro.myshopify.com/search?q=5230VB-30G1&search-button=\\$4515](http://pressurewasherpro.myshopify.com/search?q=5230VB-30G1&search-button=$4515)
and
Kleenrite \$4416
-->

Availability: This product was added to our catalog on Wednesday 07 January, 2015