Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 Cat Pump HOT Pressure Washer



Model Number: 4012-10C

Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 Cat Pump HOT Pressure Washer

Manufacturer: Pressure Pro

Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 CAT Pump HOT Pressure Washer

STANDARD FEATURES

Rugged powder coated steel roll cage frame w/ lifting hook & flat-free tires
Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber

Factory Installed
Pressure Pro PCA750-4 Replacement Burner Coil for 4-5 Gpm Pressure Washers

Stainless steel coil wrap keeps your machine looking good for years.

Factory Installed
Pressure Pro Stainless Coil Wrap PCA750-7 Fits Hot Shot Vertical 3.5-4.5 GPM Models

Larger 8 gallon poly diesel fuel tank w/ fuel filter is 100% larger than similar brands.

Factory Installed
Pressure Pro 8.5 Gallon Diesel Fuel Tank with Cap 520055

Steambrite Supply

Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 Cat Pump HOT Pressure Washer

Commercial/Industrial grade Honda or Subaru engines

Factory Installed
Honda GX Series V-Twin OHV Engine with Electric Start — 688cc, 1 1/8in. x 3.55in. Shaft, Model# c
or similar

Reliable Beckett burners
Engine Oil Quick Drain and Change Hose
High limit over temp protection

Factory Installed
225 Degree Switch Sensor 1/2" Mip with 3 Wire Leads

Controls water temperature.

Safety pressure relief valve

Giant 5000psi Pop Off Safety Valve 3/8 inch Blue Spring 9.802-191.0

Thermo-sensor (prevents over heating in bypass mode)

Factory Installed
Thermal Relief Valve 145 Degrees F 3/8" Mip X 1/4" Plastic Barb Control

Steambrite Supply

Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 Cat Pump HOT Pressure Washer

Devices Inc

Heavy Duty pressure pump

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box. Subaru models are manual recoil start.
All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

Gun/wand assembly with insulated grip and quick connects

Factory Provided
Pressure Pro AGUD3621290C Washer Lance and Gun Combo 4060 psi Insulated Grip 36 in w Couplers

50′ high pressure hose w/quick connects

Factory Provided
Pressure Pro AHS230 Single Wire 50 ft Washer Hose 3/8 In 4000psi With Couplers Installed Black

Maxi-Flo 20% chemical injector assembly w/quick connects

Factory Provided
Pressure Pro ACI005 General Pump 100775 Maxi-Flow Fixed 20% Chemical Injector 3-5 gpm

Steambrite Supply

Equipment: Hard Surface Cleaning Supplies > Pressure Washers > Gasoline Hot Pressure Washers > Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 Cat Pump HOT Pressure Washer

Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 Cat Pump HOT Pressure Washer

4 color-coded QC spray nozzles

Factory Provided
Pressure Washing Nozzles, and Repair Parts

1 color-coded QC chemical soap injection nozzle

Factory Brochure

Owners Manual

Cleaning Units/Speed: 32,000
.
http://pressurewasherpro.myshopify.com/search?q=3012-50G&search-button=
$2739
-->

Options available for Pressure Pro 4012-10C 4 gpm 4000 psi Honda GX390 Cat Pump HOT Pressure Washer :

Shipping Surcharges

Home Delivery Needs Liftgate Curb Service Because No Forklift On Site (Required) No Appointment Provided, None Commercial Address Forklift / Loading Dock On Site No Appointment Provided, +Home Delivery Needs Liftgate Curb Service Because No Forklift On Site With Appointment Delivery Time, Commercial Address But Needs Liftgate Service Because No Forklift or Dock on Site No Appointment Provided.

Availability: This product was added to our catalog on Friday 09 January, 2015

Steambrite Supply