

>



Model Number: PPS2527HAI

Pressure Pro PPS2527HAI Pro Power Series Gasoline Cold Water Pressure Washer Honda Engine 2700psi Freight Included

Manufacturer: Pressure Pro

Pressure Pro PPS2527HAI Gasoline Cold Water Pressure Washer Honda Engine 2700psi

Powerful Honda GC190 Engine

- Easy to start, quiet and reliable

AR Direct Drive Axial Pump

- High quality, heavy duty components

- Easy to maintain and rebuild

Revolutionary Aircraft-Grade Aluminum Frame

- Light weight; no welds to crack, break, or fail

- Lifetime frame warranty; dual padded shock absorbing feet

Thermo Sensor

- Prevents overheating in bypass mode

AR Unloader Valve

- Lets you regulate the pressure to suit the job at hand

Large Pneumatic Tires

- Easily handle irregular terrain with rugged 3/4" steel axle

Pro-Style Spray Wand With Interchangeable Tips

- 4 spray tips for a multitude of cleaning tasks

- 0°, 15°, 25° spray patterns, & low pressure soap applicator

- Siphon tube soap application

- 25' of high pressure hose lets you work in a wide area

Model Number:

PPS2527HAI

Manufacturer:

Pressure-Pro

>

Made in USA:
No

Engine

Engine Brand:
Honda GC

Starter:
Recoil

HP/CC
190 cc

Engine Consumer Warranty:
2 Years

Engine Commercial Warranty:
90 Days

Pump

Pump Brand:
AR

Pump Type:
Axial Cam

Adjustable Pressure:



Yes

Chemical Injection:
Siphon Tube

Pump Consumer Warranty:
1 Year

Pump Commercial Warranty:
90 Days

Housing

Frame Type:
2-Wheel Cart


Wheels:
Pneumatic

Hose

Hose Length:
25 ft

Hose Material:
Rubber

Hose Diameter:
5/16 Inch



>

Hose Connections:
Threaded

Spray Gun

Spray Gun Connection:
Threaded

Spray Gun Grade:
Professional

Spray Gun Wand:
Single Wand

Spray Tips:
Quick Connect Tips (4)


Turbo Nozzle:
Sold Separately

Overview

Weight:
80 Lbs. (36.29 kilograms)

Dimensions:
25L x 22W x 32H
(63.50 x 55.88 x 81.28 cm)

Mfr Consumer Warranty:
90 Days



Mfr Commercial Warranty:
90 Days



Availability: This product was added to our catalog on Friday 20 February, 2015

