

>



Model Number: 12-6000

Clean Storm 24 Gallon Flood Pumper Dual 3 stage Vacuum Motors 10gpm Auto Dump 12-6000
Sandia 80-6000

Manufacturer: Clean Storm

Flood Pumper Machine with 10gpm Auto Dump with giant 24 gallon recovery tank

New! Taking the cleaning world by STORM is the introductory priced CLEAN STORM series of portable extractors by Shazaam!

Flood Pumper Auto Dump Carpet Extractor

Model #

12-6000

Pump Pressure

Optional 500 psi Pumptec Pump

Vacuum Motors

Two 3 Stage Vacuum Ametek Motors 198 cfm X 117.4" of lift = 23,245 Vacuum Units.



Solution Tank

0 Gallon (both tanks have been converted to be part of the vacuum tank)

Waste Tank

24 Gallon

Voltage

115 Volt (U.S. Std)

Power Cords


Dual 25ft Power Cords

Dimensions

32in (L) X 17in (W) X 38in (H)

Heating

NA



>

Rear Wheels

10in Semi-pneumatic

Auto Dump

10.5 GPM

Product Description

The Sniper Flood Pumper is innovatively designed to maximize efficiency and is ideal for extracting water from carpet, floors or any location subjected to water damage. 24-gallon capacity, rotationally-molded polyethylene body. An internal filter system provides the highest efficiency filtration without having to worry about external attachments. Powerful 3-stage vacuum motors and dual diaphragm bilge pumps allow wastewater to be recovered at 10.5 GPM. The auto pump-out feature works continuously, automatically dumping water, so tanks do not have to be emptied when full. Convenient waist-high controls make operation easy with no bending or lifting. Non-skid, non-marking 10-inch wheels for easy stair climbing.

Features:

13 Amps per cord.

Dual 3-Stage Vacuum Motors

10.5 GPM Dual Pumping System With Electronic Overflow Protection

Warranty: 90 days. Optional Extended warrant adds 2 years parts, labor and on site service for 5% more.

Includes:

(1) 25 ft. Safety Power Cord

(1) 25 ft. Vacuum Hose

(1) 25 ft. Auto Dump Hose

The best thing about the Clean Storm Carpet Extractor that makes it unique from other Carpet Extractors is the fact that it is a much lighter machine. You will find this 24

>

gallon machine easy to move with its size and weight but You'll find it packs a punch when it comes to its cleaning power. This Carpet Machine comes with a 20 gallon waste tank. It has dual 3 stage vacuums and 10 gpm Auto dump.

This Item is Machine Only.
See Model # 12-6000.
OEM Associations:
Sandia Plastics 80-6000

To See All Clean Storm Machines Click Here

Remember: Basic maintenance should be done to your machine frequently to keep it in good running condition.

All The Options:: Available models cover a wide range of options and performances.

Three tank options (24 gallon, 12 gallon, and 6 gallon).

Six water Pump options (100, 200, 300, 500, 800, and 1200 psi).

Five vacuum motor Configurations Available (Single 3-stage, Dual 2-stage, 5 stage, Dual 3-Stage, and dual 6.6)

Three heater options: 1000 watts, 1650 Watts, or 2000 watt heater.

With or without auto clean water fill and waste water dump.

All machines can have a 1-1/2" or a 2" Vacuum port installed.

120 or 230 volts

See More Pictures Of The Clean Storm Below

Color/ Shade Not Guaranteed but usually blue.

Free Factory provided Hose mount lint filter (brand, color and style subject to change) Truckmount Carpet Cleaning Lint Filter



SBMdvUph

Steambrite Supply



>


-Training DVD 4 Pack: Covers the basics a Cleaner needs to know Included
Free On All Machine Purchases

Spend 4.5 hours with IICRC Certified Master, Master Restoration Tech, and
Senior Floor Covering Inspector.



SteamBrite Exclusive.

We compare the top flood extraction units on the market to see how they compare.
[Click Here](#) is the list of features to look for.

Options:



Steam




Samco: 12in, 1200psi, Double Bend, Double Jet



.Shazaam: Hose Set - 50ft (15 meters) x 1.5 in - Vacuum & 1/4in Solution



.Shazaam: Hose Set - 25ft x 1.5in - Vacuum & 1/4in Solution with QD installed



Steamrite

>

PMF: Detailer Internal Spray Economy w/ Brass Valve Upholstery Cleaning, Auto Detail, And Mattress Wand U1560PSB With Male QD and Filter

Clean Storm: Portable Extraction Machine Drip Tray

Call SteamBrite 210-662-9000

Mytee 7001DX Flood Hog has:

Dual 3 stage vacuum motors

70 gallon per min auto dump (twice the size as others)

Dual power cords

Built in stainless steel Link Hog lint filtration with easy open lid and clean out.

Over 200 CFM

25 ft vacuum hose

Plastic suction pick up wand with dual lips: Carpet head and squeegee hard surface head.

Each power cord operates each of the two three stage vacuum motors.

Machine can operate on one power cord with one vacuum motor because of the vacuum check valve system inside the waste tank

144" of vacuum lift

2" port on lint filter allow for use with either 2" or 1-1/2" ID vacuum hose.

Auto dump is a masive 70 gallon per min and discharges water from a 1-1/2" barbed port.

Included second 2" vacuum port to convert to a vacuum booster that can still be used as a stand alone machine. This port will allow you to hook a second machine to this machine so this machine will increase the air flow, cfm, water lift and work as an auto dump and lint filtration machine for both.

This is a great upgrade for customer that already own an standard carpet cleaning extractor and want to have enough power to leave the machine outside, to have non stop cleaning performance for restaurant cleaning and tile cleaning, and heavy duty water extraction.

This is a great option for cleaners that want to help stay in water disposal compliance because this machine will pump the water to the sewer clean out in the fron of most homes.

Parts list and Schematics (prices subjet to change)

>

Wiring Diagram

17"W X 32"L X 37"H

Optional Water Hog water pump to turn the machine into a carpet and tile cleaning monster

Receive half price shipping if you pick up at Steambrite San Antonio TX

Questions and Answers are posted on the Forums

20111128DC135799

-->

Availability: This product was added to our catalog on Sunday 11 July, 2010