

>



Model Number: EB4040HC

Pressure ProEB4040HC Eagle Series Gas Vbelt Cold Water Honda Engine 4gpm 3500psi CAT Pump

Manufacturer: Pressure Pro

Pressure ProEB4040HC Eagle Series Gas Vbelt Cold Water Honda Engine 4gpm 3500psi CAT Pump

Powerful Honda GX 390cc Engine

- Easy to start; quiet and reliable

Exclusive CAT Brand Belt Drive Triplex Plunger Pump

- Ceramic components & belt drive run cooler, last longer

- Easy to maintain and rebuild

General Pulsar Modular Unloader With EZ Start Valve

- Allows you to customize the pressure to suit the job

Revolutionary Aircraft Grade Aluminum Frame

- Light weight; no welds to crack, break, or fail

- Lifetime frame warranty

Professional Quality Gun/Wand Assembly

- 5 quick connect nozzles: 0°, 15°, 25°, 40°, chemical application

- 50 feet of steel reinforced high pressure hose

Thermo Sensor

- Prevents overheating in bypass mode

- Low oil shutdown protects motor and pump

Model Number:

EB4040HC

Manufacturer:

Pressure-Pro

Made in USA:

Yes

>

Engine

Engine Brand:  
Honda GX

Starter:  
Recoil

HP/CC  
390 cc

Engine Consumer Warranty:  
3 Years

Engine Commercial Warranty:  
3 Years

Pump

Pump Brand:  
Cat

Pump Type:  
Triplex Plunger

Adjustable Pressure:  
Yes

Chemical Injection:  
Siphon Tube

>

Pump Consumer Warranty:  
5 Years

Pump Commercial Warranty:  
5 Years

Housing

Wheels:  
Pneumatic

Hose

Hose Storage:  
Other

Hose Length:  
50 ft

Hose Diameter:  
3/8 Inch

Hose Connections:  
Quick-Connect

Spray Gun

Spray Gun Connection:  
Quick-Connect

>

Spray Gun Grade:  
Professional gallons

Spray Gun Wand:  
Single Wand

Spray Tips:  
Quick Connect Tips (5)

Turbo Nozzle:  
Sold Separately

Overview

Weight:  
150 Lbs.

Dimensions:  
42L x 26W x 26H

Mfr Consumer Warranty:  
1 Year

Mfr Commercial Warranty:  
1 Year

Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)  
Lifetime frame warranty  
50 mesh inlet filter  
Adjustable pressure unloader

>

Low oil shutdown  
Pneumatic tires  
Dual padded shock absorbing feet  
3/4" cold-rolled steel axle  
Commercial/Industrial grade engines  
Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA,  
and delivered ready to operate.

*Availability: This product was added to our catalog on Wednesday 08 April, 2015*