

>



Model Number: ASE-0006

Steel Eagle ASE-0006 24" Straight Handle Talon 4 Swivel Surface Spinner

Manufacturer: Steel Eagle

Normal  
0

false  
false  
false

EN-US  
X-NONE  
X-NONE

>

DefSemiHidden="false" DefQFormat="false" DefPriority="99"  
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

>

UnhideWhenUsed="true" Name="toc 7" />  
UnhideWhenUsed="true" Name="toc 8" />  
UnhideWhenUsed="true" Name="toc 9" />  
Name="Normal Indent" />  
Name="footnote text" />  
Name="annotation text" />  
Name="header" />  
Name="footer" />  
Name="index heading" />  
UnhideWhenUsed="true" QFormat="true" Name="caption" />  
Name="table of figures" />  
Name="envelope address" />  
Name="envelope return" />  
Name="footnote reference" />  
Name="annotation reference" />  
Name="line number" />  
Name="page number" />  
Name="endnote reference" />  
Name="endnote text" />  
Name="table of authorities" />  
Name="macro" />  
Name="toa heading" />  
Name="List" />  
Name="List Bullet" />  
Name="List Number" />

>

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

>

Name="Date" />  
Name="Body Text First Indent" />  
Name="Body Text First Indent 2" />  
Name="Note Heading" />  
Name="Body Text 2" />  
Name="Body Text 3" />  
Name="Body Text Indent 2" />  
Name="Body Text Indent 3" />  
Name="Block Text" />  
Name="Hyperlink" />  
Name="FollowedHyperlink" />  
  
Name="Document Map" />  
Name="Plain Text" />  
Name="E-mail Signature" />  
Name="HTML Top of Form" />  
Name="HTML Bottom of Form" />  
Name="Normal (Web)" />  
Name="HTML Acronym" />  
Name="HTML Address" />  
Name="HTML Cite" />  
Name="HTML Code" />  
Name="HTML Definition" />  
Name="HTML Keyboard" />  
Name="HTML Preformatted" />

>

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

>

Name="Table Grid 2" />  
Name="Table Grid 3" />  
Name="Table Grid 4" />  
Name="Table Grid 5" />  
Name="Table Grid 6" />  
Name="Table Grid 7" />  
Name="Table Grid 8" />  
Name="Table List 1" />  
Name="Table List 2" />  
Name="Table List 3" />  
Name="Table List 4" />  
Name="Table List 5" />  
Name="Table List 6" />  
Name="Table List 7" />  
Name="Table List 8" />  
Name="Table 3D effects 1" />  
Name="Table 3D effects 2" />  
Name="Table 3D effects 3" />  
Name="Table Contemporary" />  
Name="Table Elegant" />  
Name="Table Professional" />  
Name="Table Subtle 1" />  
Name="Table Subtle 2" />  
Name="Table Web 1" />  
Name="Table Web 2" />

>

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />



Steambrite Supply

>

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

>

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

>

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

>

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:12.0pt;
font-family:"Aptos",sans-serif;
mso-ascii-font-family:Aptos;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Aptos;
mso-hansi-theme-font:minor-latin;
```

>

mso-font-kerning:1.0pt;  
mso-ligatures:standardcontextual;}

## Steel Eagle ASE-0006 24" Straight Handle Talon 4 Swivel Surface Spinner Description

The Steel Eagle Talon 4 Swivel Surface Cleaner ASE-0006 is features a 24" aluminum housing that is lightweight, durable, and corrosion resistant. Equipped with a 3/8" male threaded inflow connection that connects with pressure washers. Compatible with 1500 PSI to 4000 PSI pressure washers. This surface cleaner handles flow rates ranging from 3 GPM to 8 GPM. The Talon 4 swivel handles a maximum speed of 2000 RPM.

### Specifications

- Inflow: 3/8" Threaded (Male)
- Outflow: Rotary Spray
- Minimum GPM: 3
- Maximum GPM: 8
- Rated PSI: 4000 PSI
- Maximum Speed: 2000 RPM
- Maximum Temperature: 210° F Max

### Features

- Lightweight 24" aluminum housing
- Housing contains 2 rotating arms
- Each arm features 1 nozzle
- Maximum rotation speed of 2000 RPM
- 10" pneumatic wheels
- 3-1/2" front caster wheel
- Front swivel caster has a Delrin bushing for maneuverability
- Heavy-Duty Talon 4 Swivel
- Reinforced self-lubricating stainless steel bearing
- 1/8" spun aluminum deck provides corrosion resistance and durability
- Straight handle features a grip that is easy to hold even when wet
- Works with 1500 PSI to 4000 PSI pressure washers
- Handles a minimum flow of 3 GPM; maximum flow 8 GPM

---

*Availability: This product was added to our catalog on Thursday 19 January, 2017*