

>



Model Number: 20200311

Clean Storm Wet/Dry 55 Gal Barrel Vac 2 (Dual) Motor Head with Filter assembly 20200311 Drum Vacuum

Manufacturer: Clean Storm

Clean Storm Wet/Dry 55 Gal Barrel Vac 2 Motor Head with Filter assembly

Top portion only

Sets on top of your own 55 gallon drum / barrel.

Dual vacuum motor for better CFM

2" Barbed fitting can be used with either 2" or 1.5" ID vacuum hose

Heavy duty rubber feet protects float cages when you remove from the drum and set on the ground.

Heavy duty lift handles.

25 feet of 12-3 power cord with lit male plug

Includes washable dual layered foam prefilter

Can be used wet or dry

Float cages have a wall on one side to help prevent contamination getting sucked up to the bottom of the vacuum motors.

Vacuum motors have a back up lint screen.

Float cages will occluded vacuum once water level gets too high.

Please allow for addition week build time.

Compare to current or past OEM associations:

S9M429BV

862148

Some parts used for the build:

Electro Vacuum Motor Q6600-033T-MP-26 2 stage 120v Lower 7.5
Amp 5.7in Vacuum Mytee C301 VersaClean 45-042

-
2 units

>

Add Vacuum Motor Lint Screen Filtration and Gasket to any vacuum motor 20150326

Switch Toggle Stainless W Spade Connect Single Pole Single Throw Approved 20 amp 125 volts 12 amps 250 volts SPST 39008774507

Nikro 550015 - Foam Filter Bag
2 units

Extension Power Cord 12-3 X 25 feet Heavy duty SJTW 15A-125V Lighted Ends [10-0860] D16612025 12/3 EC0005 D11712025YL



420810 Clean Storm Panel Mount 10 amp push button resettable breakers
2 units

White Magic E138 Plastic 90 Elbow 2in Mip X 2in Fip White PVC

2in Fip X 2in Barbed 90 Plastic Fitting

55 Gallon Barrel *not included

>

Vacuum Head and Adaptor for 55 Gallon Drum. Available in 1, 2, 3 Motor Configurations and 3Flow
Convert a 55 gallon drum into a large capacity wet/dry vacuum

Applications

Large capacity wet/dry vacuum for manufacturing, construction or situations where large amounts of debris needs to be collected.

Features

Vacuum head, combined with a adaptor ring for a 55 gallon drum
Rugged Steel construction
Fit to your application and power requirement with multiple motor configurations from one to three motors
Self cleaning model available with automatic 3 flow head

-->

Availability: This product was added to our catalog on Wednesday 25 January, 2017