

>



Model Number: 82.866
Mosmatic 82.866 Turbo Rotor Arm-Fixed-6 in 3x1/8 Stainless Steel Spray Bar
Manufacturer: Mosmatic Pressure Washing Equip

TKA series Turbo Rotor Arm
The complete stainless versions of these various cleaning units are specially designed for use with water and cleaning additive at high rpm. MOSMATIC Turbo-Rotors from the TKA series for use as a self rotating unit on: Flat Surface Cleaners, Tire Cleaner Applicators, Parts Washers and Undercarriage Cleaners.

TKA-3w3 (3 arms / 3 nozzles)

Part No.

Diameter

Part No.

Diameter

82.865

4"

| |
|---|
| > |
| |

82.871

16"

82.866

6"

82.872

18"

82.867

8"

82.873

20"

82.868

10"

>

82.874

22"

82.869

12"

82.875

24"

82.870

14"

Available styles:

Technical Data "w"-style
Throughput Medium: water, cleaning additive pH 3-12
Pressure: 4000 psi
Temperature: maximum 250°F
Body: stainless steel

>

Pipe: stainless steel
In: G3/8" F
Out: 1/8" NPTF
Choose from these swivel lines:
1/4" NPTF / 3/8" NPTF
DYC 55.063 / 55.163
DYL 56.063 / 56.163
DYG 57.063 / 57.163
DYF 58.063 / 58.163
DYT 59.063 / 59.163

Print Brochure:

Availability: This product was added to our catalog on Thursday 16 December, 2010