

>



Model Number: 82.872  
Mosmatic 82.872 Turbo Rotor Arm-Fixed-18 in 3x1/8 Stainless Steel spray bar  
Manufacturer: Mosmatic Pressure Washing Equip

TKA series Turbo Rotor Arm  
The complete stainless versions of these various cleaning units are specially designed for use with water and cleaning additive at high rpm. MOSMATIC Turbo-Rotors from the TKA series for use as a self rotating unit on: Flat Surface Cleaners, Tire Cleaner Applicators, Parts Washers and Undercarriage Cleaners.

TKA-3w3 (3 arms / 3 nozzles)

Part No.

Diameter

Part No.

Diameter

82.865

4"

82.871

>

16"

82.866

6"

82.872

18"

82.867

8"

82.873

20"

82.868

10"

>

82.874

22"

82.869

12"

82.875

24"

82.870

14"

Available styles:

Technical Data "w"-style  
Throughput Medium: water, cleaning additive pH 3-12  
Pressure: 4000 psi  
Temperature: maximum 250&deg;F  
Body: stainless steel  
Pipe: stainless steel  
In: G3/8" F  
Out: 1/8" NPTF

>

Choose from these swivel lines:

1/4" NPTF / 3/8" NPTF

DYC 55.063 / 55.163

DYL 56.063 / 56.163

DYG 57.063 / 57.163

DYF 58.063 / 58.163

DYT 59.063 / 59.163

Print Brochure:

---

*Availability: This product was added to our catalog on Thursday 16 December, 2010*