CleanCo Truckmount 215-CP45 CH For Chevy Vans



Model Number: 215-CP45 CH

CleanCo Truckmount 215-CP45 CH For Chevy Vans

Manufacturer: Esteam Cleaning Systems

CleanCo Truckmount 215-CP45 CH For Chevy Vans.
Includes labor but excludes van and shipping

Compact 45 - Easy to Use Cleaning Equipment
Complete truckmount operation starts with the precisely designed control panel featuring a gauge monitoring package, pressure & temperature controls and a dual speed setting for upholstery, carpet or hard surface cleaning. Truckmount operation is powered by an E.T.M. (Electronic Throttle Module) which maintains the van engine speed at a consistent RPM, increasing vacuum performance by 30% and reducing fuel consumption to only 1.5 gallons per operating hour.
(*As tested by GM installation)

High Heat: up to 205°F working water temperatures for exceptional cleaning results
Powerful Performance: 365 CFM for fast drying time, adjustable pressure up to 1200 PSI for upholstery, carpet and hard surface cleaning
Fuel Efficiency: the Electronic Throttle Module (ETM) regulates the van RPM reducing fuel consumption
Compact Design: 25" is all that’s required, leaving the rest of your cargo space available for other equipment
Safety Features: Park Break Sensor, High Temperature Shutdown, Waste Tank Full Shutdown and Security Hose Ports to keep your equipment safe while you work
Warranty: 5 Year Extend-A-Care Warranty protects your investment for years to come
Engine: Direct drive system powered by host vehicle engine
Blower: Roots 45 Whispair DSL (dual splash lubricant, no grease fittings), 365 CFM, oil site lines & lube port on front panel. 14" HG/ 190" Water Lift. 69,532 vacuum units
Filter System: Twin 2.5" stainless steel blower protection filters, lift out lint basket
Pump: 5CP Cat Pump, clutch activated, 1200 PSI factory setting adjustable down to 50 PSI
Heat Method: Dual reverse flow heat exchangers, 205°F water temperature up to 240°F with optional Heat Max P.T.I. post heat system
Van radiator fluid travels one direction, high pressure water travels the other direction through the first heater providing up to 205 degrees F water. The Roots 47 blower produces up to 240 degree exhaust air heat once you start cleaning so the optional PTI heat heat exchanger us used to adsorb this additional heat.
Gauge Package: vacuum gauge, hour meter, blower speed tachometer, water pressure gauge, water temperature gauge
Waste Tank: 100 gallon powder coated 3/16 marine aluminum with ‘Flow Max’ unrestricted airflow design, sloped floor for easy draining, 120 gallon optional
Drain System: 2" drain valve

Steambrite Supply

CleanCo Truckmount 215-CP45 CH For Chevy Vans

Or Optional Additional External Auto Drain
CleanCo Truckmount 237-035 Automatic Drain, Discharge System External C.A.D. w/ Panel Mount

Freshwater Tank: optional 125 gallon Aqua Reel tank

Optional
CleanCo 225-206 Truckmount 120 Gallon Fresh Water Tank with Chemical Storage Rack

Dimensions: 58" L x 25" W x 37" H
Weight: 656 lbs

- Precision Balanced PTO Drive Shaft
- 100 Gallon Waste Tank
- Roots 45 Whispair DSL Vacuum Blower
- 5CP Clutch Activated Cat Pump
- Dual Coolant Heat Exchangers (205°F max)
- Dual Solutions Connections
- Dual 2" Vacuum Connections
- Dual Speed Settings (carpet & upholstery)
- Quick Release Control Panel: gauge package, pressure & temperature adjustment, chemical flow meter, pre-wired auto drain, pump & blower oil site lines, blower lube port
- Titanium 2" Truckmount Carpet Wand
- 100 ft x 2" Vacuum Hose
- 100 ft High Temperature Solution Hose
- Chemical Jug & Holder
- Interior Light Package
- Park Break Sensor
- Security Hose Port
- High Temperature Shutdown
- Waste Tank Full Shutdown
- 5 Year Extend-A-Care Warranty
- Operation & Maintenance Manual
- Embroidered Cleanco Jacket

Owners manual
Van Specifications for Compact Direct Drives

Steambrite Supply

CleanCo Truckmount 215-CP45 CH For Chevy Vans

Chev and GMC Cargo Vans

2012-2018 Chev/GMC Savana Van 4.8 L, and 6.0 L V8 Gas
4.8L 3/4 ton Without transfer of fresh water
6.0 L 1 ton with transfer of fresh water

NOTE: Not Compatible with Passenger Vans
Cleanco does not recommend installing Compact Direct Drive PTO units in a van that has excessive wear and tear or is older than specified above.
Cleanco requires a minimum van specification of ¾ ton for Compact Direct Drive PTO systems.
It is recommended that prior to the purchase of a van, the customer review the specifications of the van with an authorized Cleanco Distributor or contact Cleanco directly.
Optional van $39,000 - $40,000 can be financed with the equipment in a single payment

Availability: This product was added to our catalog on Wednesday 06 December, 2017

Steambrite Supply