Clean Storm 20180620, Foam Register Plugs, 11x7x1-Inch, Air Duct Cleaning and HVAC Vent Sealing Foam Blocks



Model Number: 20180620

Clean Storm 20180620, Foam Register Plugs, 11x7x1-Inch, Air Duct Cleaning and HVAC Vent Sealing Foam Blocks

Manufacturer: Clean Storm

Clean Storm 20180620, Foam Register Plugs, 11x7x1-Inch - Air Duct Cleaning and HVAC Vent Sealing Foam Blocks

Description

Clean Storm 20180620 Foam Register Plugs measure 11 x 7 x 1 inches and are designed for professional air duct cleaning, HVAC maintenance, and system sealing. These high-density foam blocks provide a secure, temporary friction-fit seal inside supply and return register vents, allowing technicians to isolate individual zones, pressurize duct systems, or block airflow efficiently during deep cleaning and remediation work.

Features

- High-density open or closed cell foam construction engineered for a snug, reliable friction-fit inside standard register openings.
- Precision-cut dimensions of 11 inches by 7 inches with a 1-inch thickness to accommodate various vent boot sizes and styles.
- Flexible and compressible material allows for easy insertion and clean extraction without damaging surrounding wall or floor registers.
- Reusable and durable design built to withstand repeated use in commercial and residential HVAC maintenance jobs.
- Lightweight and portable profile for effortless transport and storage in service vehicles and equipment toolkits.

Applications

- Residential and commercial air duct cleaning and HVAC system sanitization.
- Isolating specific zones or rooms during negative air pressure cleaning operations.
- Temporarily blocking supply and return registers to prevent dust, debris, and chemical overspray from entering living areas.
- HVAC duct pressure testing and system airflow balancing preparations.

Specifications

Brand
Clean Storm

Model / Part Number

Clean Storm 20180620, Foam Register Plugs, 11x7x1-Inch, Air Duct Cleaning and HVAC Vent Sealing Foam Blocks

20180620

Product Type
Foam Register Plugs / Vent Sealing Blocks

Dimensions
11" Length x 7" Width x 1" Thickness (each)

Material
High-Density Duct Sealing Foam

Color
Standard Gray / Charcoal

Compatibility
Universal fit for standard 11x7 register boots and vents

Quantity
Sold individually or as specified sets

Cross-Reference SKUs

Clean Storm 20180620

CS-20180620

20180620-Foam-Plug

HVAC Register Blocking Foam 11x7

Air Duct Cleaning Vent Plug 11x7x1

Steambrite Supply

Equipment: Air Duct Cleaning Machines > Accessories > Clean Storm 20180620, Foam Register Plugs, 11x7x1-Inch, Air Duct Cleaning and HVAC Vent Sealing Foam Blocks

Clean Storm 20180620, Foam Register Plugs, 11x7x1-Inch, Air Duct Cleaning and HVAC Vent Sealing Foam Blocks

Tips and Additional Information
Before inserting the register plugs, inspect the vent opening for sharp edges, screws, or debris that could tear or puncture the foam. Ensure the register boot is clean and dry for an optimal friction seal. Push the foam plug evenly into the duct opening until flush or recessed securely. When removing, pull gently from the edges to avoid tearing the material, and store flat in a clean, dry compartment between jobs to maintain foam elasticity and shape.
Frequently Asked Questions
Q: What are the exact dimensions of each foam plug?
A: Each register plug measures 11 inches in length, 7 inches in width, and 1 inch in thickness.
Q: Are these plugs reusable?
A: Yes, they are manufactured from durable, high-density foam designed for multiple uses across different residential and commercial jobs when handled and stored properly.
Q: Can these plugs be trimmed to fit smaller vent sizes?
A: Yes, the foam material can easily be cut with a utility knife or shears to customize the fit for non-standard or smaller register openings.
Q: Will these foam plugs damage painted walls or delicate register boots?
A: No, the soft, compressible foam is non-abrasive and designed to create a secure friction-fit without scratching or marring painted surfaces, wood, or metal grilles.
Warranty & Safety Information
Clean Storm products are backed by a standard manufacturer's warranty against defects in materials and workmanship from the date of purchase. This warranty covers structural integrity under normal professional use conditions. The warranty is strictly voided if the product is damaged due to misuse, exposure to open flames or extreme heat sources, punctures from sharp installation tools, or application in environments outside the intended scope of HVAC maintenance and duct cleaning.

Availability: This product was added to our catalog on Wednesday 20 June, 2018