

>



Model Number: 4008-101-E65

Shurflo 4008-101-E65, 3.0 Revolution, 12 Volt Water Pump, 3 GPM 55psi

Manufacturer: Shurflo

SHURFLO 4008-101-E65 3.0 Revolution Water Pump

12 VDC, 3.0 GPM, 55 PSI, and 7.5 Amps

Self-priming water pump with internal bypass-low cycling

Operates quietly and thermally protected

This pump can run dry without damage and contains a built-in check valve

Dry primes to 6 vertical feet and comes with a 2 Year Warranty

Compare to current or past OEM associations:

1202.1005

4008-101-E65

4008-101-A65

B002XM5G70

B002XM5G70.03

A Revolution in 12 VDC RV Water Pumps

The design for SHURflo's Revolution, 3 GPM, 55 PSI Fresh Water Pump revolves around its unique one-piece diaphragm and internal by-pass. Together this assures long life and top performance in RV and trailer based plumbing systems in which it is installed. The SHURflo's Revolution pump is also a mini powerhouse, delivering three gallons of water per minute to onboard sinks, toilets, showers and more at up to 55 PSI, while requiring only a reasonable power draw of 7.5 Amps from an onboard 12 VDC power source. Conveniently, it can be mounted in any position, is thermally protected, can run dry without damage and utilizes patent pending Flow Reaction Technology to reduce noise, vibration and excessive pump cycling. The result is the next legendary water pump from SHURflo that is both affordable on any budget, and is sure to exceed the expectations of customers and industry insiders alike.

Typical Applications

SHURflo 4008 series Revolution water pumps are created with everything from travel trailers, fifth wheelers, campers and motorhomes in mind. Within this range typical applications include multi-fixture RV adjustable by-pass fresh water pump installations, use in 12 VDC pressurized water systems in cabins or other locations away from standard plumbing and general water transfer systems. For other applications contact SHURflo.

Specifications

Pump

Type - 4 chambered diaphragm with adjustable pressure switch and by-pass

Ports - 1/2" NPSM-male.

Flow Rate GPM/LPM - 3.0 GPM [11.4 LPM]

Liquid - 130°F [54°C] max

Prime - 6 feet [1.82 M]

>

Inlet - 30 PSI [2.1 Bar] max  
Run Dry - Yes

## Electrical

Motor - 12 VDC permanent magnet, intermittent duty  
Protection - Thermal overload, automatic restart  
Leads - 16 AWG, 16" [40 cm] Red +, 10" [33 cm] Black  
Fuse - 10 Amp recommended  
Control - Adjustable switch with check valve  
Amps (max) - 7.5  
Shutoff Pressure - 55 PSI [3.8 BAR]  
Restart - 25 PSI [1.7 Bar]

## Features

3 gallons per minute  
12 VDC powered  
55 PSI  
Quiet operation  
Modern 'green' design for reduction of hazardous waste and power consumption  
Internal bypass-low cycling  
Self-priming  
Dimensions Inches/Millimeters - 4.9" x 8.1" x 4.3" [125 x 206 x 110 mm]  
Built-in check valve  
2 year limited warranty

## Two-year Limited Warranty

SHURflo warrants its aftermarket Revolution 4008 Series Potable Water Pumps to be free from material and workmanship defects under normal use and service for 2 years from the date of purchase with purchase receipt or 2 years from the date of manufacture indicated on the motor nameplate if no purchase receipt is available. Pumps installed as original equipment fall under the warranty supplied by the manufacturer.

## About SHURflo

SHURflo is part of the Flow Technologies Group of Pentair, Inc. (PNR), a publicly held company on the New York Stock Exchange. The company was founded in 1968 to serve a recreation market that was searching for a dependable fresh water pump to deliver water stored in tanks to the faucets, showers and toilets installed in the coaches. SHURflo delivered then and they deliver now as the dominant supplier to the RV, marine, general industrial and floor care markets. SHURflo has full service sales, service and distribution center in Elkhart, Indiana, as well as a hub for the company located in Cypress, California.

>

*Availability: This product was added to our catalog on Friday 13 July, 2018*

Steambrite Supply