

>



Model Number: PRED750HC

Abatement Technologies PRED750HC Predator 750 Portable Air Scrubber BACKORDER 3 - 4 Weeks

Manufacturer: Abatement Technologies

BACKORDER 3 - 4 Weeks

Abatement Technologies PRED750HC Predator 750 Portable Air Scrubber

Incredibly Lightweight, Compact and Powerful!

Since its introduction, the legendary Abatement Technologies® PREDATOR® 600 model has been the number one small portable air scrubber on the market. Today the revolutionary new PREDATOR 750HC\* Portable Air Scrubber (PRED750HC) takes this reputation for performance, quality and reliability to an even higher level!

Amazing Air Purification Performance in a Portable Scrubber

The cutting-edge PRED750HC features a unique, updated double-wall polymer cabinet and design that produces exceptional airflow and durability to make your jobs easier and more profitable. With an amazing peak airflow of up to 750 cfm – up to 50% more than the competition – the PRED750 is ideal for containing dirt and containments when accessing wall cavities and overhead ceiling areas, or use with mobile containment cubes in construction and maintenance areas. Rugged and easy to move, the PRED750 operates on 1.9 amps or less.

Sales tax is collected for GA, TX, WA unless you have a resale certificate on file that you are going to rent out this equipment.

True HEPA Filter Saves Thousands of Dollars in Filter Replacement Costs

Some competitive air scrubbers are equipped with filters that rely on an electrostatic charge to achieve their initial efficiency rating that can quickly dissipate during use on water jobs. Not with the PRED750HC! Its true HEPA filter can maintain or even increase its initial 99.97% efficiency rating job after job, month after month, so users can potentially save thousands of dollars per year in replacement filter costs and labor.

PRED750HC Portable Air Scrubber

Airflow\* - 200-750 cfm

Air Changes Per Hour - 6 ACH in 6,000-7,500 ft<sup>3</sup>

Net Weight with Filters - 35 pounds

Shipping Weight - 43 pounds

Dimensions (L x W x H) - 25.5" x 19.5" x 20.5"

Power Supply Requirements - 110-120 volts AC, 60Hz, 15 amps

Normal Operating Amps – 1.9 amps or less. (Daisy-chain five units on one 15 amp circuit)

>

Motorized Impeller - Motorized impeller rated for 100,000 hours with thermal overload protection, auto reset, 60Hz, single-phase

Circuit Breaker - 12 amps

Safety First - NRTL-certified to comply with UL Std. 507 & CAN/CSA Std. #C22.2 No. 113-M1984

Cabinet Material - Rotational-molded high density polyethylene cabinet. Contains EPA registered additive for inhibiting microbial growth and UV-8 additive rated for 8,000 hours of protection against UV deterioration.

Transportability - Heavy duty, flip-up style transport handle with perfect weight balance

Pre-Filter Access - Hinged door secured by rotating latches. Full perimeter, neoprene gasket seals to protect against bypass of dirty air

Filters:

Stage 1 pre-filter - 1" deep coarse particulate pre-filter (Part Number F621)

Stage 2 pre-filter - 2" deep pleated particulate pre-filter (Part Number H502)

Alternate Stage 2 pre-filter - 2" deep high capacity VAPOR-LOCK®; carbon filter for odors (Part Number VL1002)

Final stage true HEPA filter - Mini-pleat style filter with continuous seamless gasket, tested and certified to a minimum efficiency of 99.97% against 0.3 micron size particles (Part Number H161606-99)

Rubber Feet - Attached rubber feet protect floors and secure the PRED750HC firmly in place during operation

\*Note: Airflow rating estimates are based on factory and independent testing at 120VAC, 60Hz with an air straightener, and a traverse of readings taken with a computing vane-anemometer. Actual results may vary for various reasons, including motor and blower and HEPA filter tolerances. Factors such as filter loading, reduced voltage to the motor, and inlet and outlet ducting will reduce airflow. Use the ratings as a general guideline only.

## PRED750HC

The PRED750HC is the best portable air scrubber on the market for creating and maintaining negative pressure and removing airborne contaminants during construction, renovation and remediation projects. Time and cost-savings innovations that make this a must-have tool in every restorer's truck include:

Stackable for Easy Transport

Up to three units stack securely together making it easy to wheel to or from the jobsite using a dolly.

Lightweight and Portable

The built-in lift handle of the PRED750HC makes it easy for a worker to hand carry one or two units.

>

Straightforward Control Panel Design with Outlet Connection for Daisy-Chaining

The user-friendly design of the PRED750HC control panel makes it easy to use and maintain.

Control Panel Features:

- Power indicator
- Filter change indicator
- Variable speed fan control
- Dual-plug, GFCI-protected receptacle
- 12-amp circuit breaker

ebay  
-->

---

*Availability: This product was added to our catalog on Monday 03 January, 2011*