# Little Giant 3HTLP 120000 BTU Propane Heater Base insulation FB 1/2 X 13-5/8 Sq ONLY



Model Number: FB 1/2 X 13-5/8 Sq

Little Giant 3HTLP 120000 BTU Propane Heater Base insulation FB 1/2 X 13-5/8 Sq ONLY

Manufacturer: Little Giant

Little Giant 3HTLP 120,000 BTU Propane Heater Base Insulation FB 1/2 X 13-5/8 Sq ONLY

This is not the complete heater, just the part number to replace the base Insulation fiberboard that goes under the burner ring.
These high pressure propane heaters are just what you need to get yor Truckmount or portable extractor steamin' like you like it! Just add the bottle and the propane regulator and you are in business. Ready to melt grease, tar, gum, wax, and other heavy traffic lane soil away effortlessly.

Be sure to mount a safety pressure Relief Valve, Model #7413 - 600 psi
Gas Pressure Regulator, Model #204-00 140,000 BTU/Hr for No. 1, No. 2, No. 3 Hotomatic® Heater
Spark Ignitor, Model V-1
RHA is 6 ft gas hose
RHA12 is 12 gas hose

Important Note: It is extremely necessary that the Gas Pressure Regulator used to supply the heater with LP Gas has a capacity rating higher than the consumption of the heater. Too small a regulator will decrease the gas flow, the gas pressure and the amount of hot water produced. The Model #20400 Regulator is rated at 140,000 BTU/Hr., which is sufficiently sized to supply the gas for Models #1, #2 or #3 Hotomatic® heaters. The Model LV4403C9 Regulator is rated at 575,000 BTU/Hr., which is the model we recommend for the #4 HT Hotomatic. The top water inlet is 1/4" Mip. No pressure hose or 90 degree elbow is provided. If you need a pressure hose or brass fitting to hook up your heater, please let us know.

A gas supply hose that is too small will reduce the flow rate of the LP Gas. This reduces the gas pressure at the burner and the amount of hot water produced. Use a 1/2" I.D. Hose minimum for the #1, #2 or #3 HT Hotomatic heaters. Use a 3/4" I.D. Hose for the #4 HT Hotomatic heater.

We Have Been Making Water Heaters Since 1904. This long tradition of efficient performance is the result of rigid control of manufacturing details and the use of the finest materials and craftsmanship available. Little Giant Water Heaters have proven to be dependable under the true test of constant daily use. They will provide long, care free service and the maximum is satisfaction.
Be sure to check with your local state rules on using propane.
Always store and use propane bottles outside.
Read more about propane use at
http://www.rrc.state.tx.us/media/8606/homesafehome.pdf

Steambrite Supply

# Little Giant 3HTLP 120000 BTU Propane Heater Base insulation FB 1/2 X 13-5/8 Sq ONLY

Little Giant Set Up Diagram
Little Giant Use Instructions

Optional

Magnetic Clamp-On Water Softener Descaler for Truckmount & Portable Carpet Cleaning Machines 20260425

- Helps prevent scale buildup in pipes, coils, heaters, and carpet cleaning heat exchangers
- Reduces or eliminates routine monthly descaling in many applications
- Clamp-on installation — no cutting, plumbing, salt, chemicals, or cartridge replacement
- Maintenance-free design — no salt, resin, plastic pellets, filters, or media to flush
- Improves heat transfer efficiency by helping keep mineral buildup off heater surfaces
- May improve water flow / GPM by helping reduce mineral restriction over time
- Only 4 inches long for installation in tight areas on portable and truckmount equipment
- Longer Equipment lifespan

Propane and Natural Gasline Pipe Thread Sealing (Teflon) Tape 1/2 in X 260 inches 20170513

Steambrite Supply

*Parts & Accessories > Heaters > Water Heaters High Pressure > Little Giant 3HTLP 120000 BTU Propane Heater Base insulation FB 1/2 X 13-5/8 Sq ONLY*

# Little Giant 3HTLP 120000 BTU Propane Heater Base insulation FB 1/2 X 13-5/8 Sq ONLY

*Availability: This product was added to our catalog on Monday 18 March, 2019*

Steambrite Supply