


>



Model Number: 4.035-369.0

Karcher B 40 C Bp Auto Scrubber 4.035-369.0 Lid Rinse System ONLY Cover tank flushing system complete

Manufacturer: Karcher Pressure Washing

img{max-width:100%}

Karcher B 40 C Bp Auto Scrubber 4.035-369.0 Lid Rinse System ONLY Cover tank flushing system complete

WALK-BEHIND FLOOR SCRUBBER B 40 C/W Bp (roller) Lid cleaning system

The B 40 C/W walk-behind scrubber has a host of technical refinements and innovations for the primary purpose of making work as simple and convenient as possible. This webpage does not include the machine, just the lid kit.

The B 40 C with brush assist and W with traction drive scrubbers feature:

a 10.6 gallon fresh and recovery tank-in-tank design, interchangeable modular disc or cylindrical roller scrubbing heads,

33.5" vacuum squeegee and Karcher's Intelligent Key system.

The KIK system enables the facility manager to create a unique cleaning profile, making it easier to train users and operate the scrubber.

KIK is used to set varying levels of authorized access by means of color-coded keys; yellow, grey and red; for operators, facility managers and technicians, respectively.

Facility managers can set parameters such as travel speed, brush speed, motor output or cleaning solution output to suit the needs of the cleaning task. An operator's key carries out the pre-determined settings, needing only to select their desired cleaning program from a rotary knob.

As a result, only the required amount of energy and cleaning agent is used.

Karcher's B 40 W Bp walk-behind scrubber dryer is available roller brush or disc pad system which includes a pre-sweep function for coarse particles. It's 55 cm working width, maintenance-free batteries (24 V, 105 Ah), variable traction drive (forward and reverse) and KIK key system offer outstanding user friendly cleaning results with added protection against incorrect operation. Extra features include it's ecoefficiency mode, extending battery life, tank rinsing system for hands free cleaning of the dirty water tank, auto-fill function for convenient filling of the water tank and DOSE cleaning agent dosing system This machine is available with a range of different equipment and features, e.g. different batteries, cable version, without traction or with 45 cm working width.

The B 40 C with brush assist and W with traction drive scrubbers feature: a 10.6 gallon fresh and recovery tank-in-tank design, interchangeable modular disc or cylindrical roller scrubbing heads, 33.5" vacuum squeegee and Karcher's Intelligent Key system.

Compare to current or past OEM associations:

>

9.841-122.0 B 40 W Bp, Traction Drive Base Unit with 105 Ah Batteries Scrub Deck
Sold Separately

570991

9.841-123.0 B40 W Bp, Traction Drive Base unit with 138 Ah Batteries Cleaning
Scrub Deck Sold Separately

9.841-120.0 B 40 C Bp, Brush assist base unit with 105 Ah batteries Cleaning scrub
deck sold separately (this webpage)

9.841-121.0 B 40 C Bp, Brush assist base unit with 138 Ah AGM batteries - Cleaning
scrub deck sold separately

9.841-372.0 B 40 W Bp, 10.6 Gallon Scrubber with 105 Ah low Maintenance
Batteries, and R55 Scrub Deck

9.841-373.0 B 40 W Bp, 10.6 Gallon Scrubber with 105 Ah Low Maintenance
Batteries, D51 Scrub Deck

9.841-374.0 B 40 W Bp, 10.6 Gallon Scrubber with 138 Ah AGM Batteries, R55
Scrub Deck

9.841-375.0 B 40 W Bp, 10.6 Gallon Scrubber with 138 AGM Batteries, D51 Scrub
Deck

Karcher Brochure

Owners Manual 1

Owners Manual 2

Owners Manual 3

Owners Manual 4

Owners Manual 5

Owners Manual 6

Owners Manual 7

North American FCC Part 15 Insert

FEATURES AND BENEFITS

3 batteries to choose from

>

Battery types: maintenance-free 70 Ah (C5), low-maintenance 80 Ah (C5) or maintenance-free 105 Ah (C5). Also available as a mains-operated version.

The charging curve of the built-in charger is perfectly adjusted to the various battery types.

For a long battery life.

Auto fill-in

Time-saving filling of the fresh water tank.

Filling via the fresh water hose stops automatically when the tank is full.

Brush head with rollers

With 45 or 55 cm working width.

High contact pressure for perfect cleaning results.

Perfect for structured surfaces.

EASY Operation

Simple to use.

The basic functions are controlled with the EASY switch.

>

ecoefficiency mode

For significantly reduced energy consumption and substantially longer battery runtime.

The ecoefficiency mode is extra quiet and optimal for noise-sensitive areas (e.g. hospitals or hotels).

Easy handling

Simple handling thanks to clear control elements with colour-coding.

Simplified use and shortened teach-in time.

Traction drive

Optionally with traction drive. Infinitely variable forward and reverse operation.

The maximum speed can be preset.

Individually configurable device

Brush heads, squeegees, mains or battery operation and additional equipment details are freely selectable.

Perfect adaptation of the machine to cleaning requirements.

>

Efficient solution

Innovative KIK system

Yellow key for operators, grey key for supervisors.

Every key can be individually set to the language of the operator.

Reduced service costs thanks to less operating error.

Pre-sweeping attachment

With integrated sweep bin for coarse particles.

Protection against blockages on the squeegee. For perfect suction.

Brush working width (in)
18 / 22

Vacuum working width (in)
33.5

Fresh / waste water tank (gal)

>

10.6 / 10.6

Max. area performance
18300

Brush speed (rpm)
1200

Amps (W)
max. 1300

Traction motor (W)
130

Weight without battery (lbs)
191.8

Dimensions (L x W x H) (in)
49.45 x 24.45 x 44.96

Equipment

Roller brush

Dose

Pre-sweeping attachment

Tank-in-tank system

https://www.southeasternequipment.net/New-Karcher-B-40-C-Bp-Brush-Drive-Floor-Scrubber-p/enka9.841-120.0.htm?gclid=EAlaIqobChMI0dLo0Kzz5AIV-f_jBx3jZgRFEAKYASABEgL39PD_BwE \$4770 free shipping

<https://www.janisource.com/windsor-karcher-autoscrubber-b-40-c-bp-w-105-free-shipment/> \$4536

-->

>

Availability: This product was added to our catalog on Saturday 28 September, 2019

Steambrite Supply