

>



Model Number: SGV3-18

Sirocco SGV3-18 Vacuum System Auto Pump Out For Pressure washer and Flood Extraction

Manufacturer: Sirocco

Sirocco SGV3-18 Vacuum System with Auto Pump Out For Pressure washer and Flood Extraction

SGV3-18 Stationary Vacuum System

Sirocco®; SGV series vacuums are the most affordable, effective, multi-function vacuum systems on the market. Whether you're cleaning tile floors, parking garages, or reclaiming fleet wash water, the SGV gas engine vacuums perform the job quickly and efficiently. With our equipment, EVERY demo is a compelling demo! It's all about work-speed for the best possible profitability!

FEATURES:

- 18 HP Electric Start Briggs & Stratton Engine (with key switch, battery cables, and remote battery mounting hardware) – ultra quiet and dependable, providing years of reliable service!

- Optional 19 HP Kohler EFI engine upgrade (specify)

- Remote 5 Gallon Low Profile Fuel Cell

- 3" Sutorbilt Blower (high-lift version, with oil-level sight glass, dual-inlet manifold system with dual 1.5' vacuum relief, 1/8" vac gauge, and camlock male inlets)

- 2 – 5ft. Hi Temp 2.5" Connect Hoses (with 2" camlock F x mpt adapters)

- 2 – 30 Gallon Vacuum Waste Tanks (with snap-lock lid and beefy handles, dual 2" camlock male inlets, 1.25" mpt tank drain with plug, camlock F x hose barb adapter for #1 inlet, camlock F cap for #2 inlet, and 115vAC automatic pump out)

- 1 – Externally-Mounted XHD Check Valve (with 1.5' camlocks, and camlock F x hose barb adapter)

- 1 – High-Volume Slide-in Filter

- 2 – 50' x 2" Vacuum Hoses (with cuffs)

- 1 – 2" Aluminum Hose Coupler (barb x barb)

- 1 – Choker Valve

- 1 – Puddle Sucker

- 2 – 18" Silt Filters

- 2 – 48" Silt Filters

- 3 – 18" Sand Snakes (just fill with sand, not included)

- 3 – 48" Sand Snakes (just fill with sand, not included)

- 1 – Hard Surface Vac Wand with 14" Squeegee Head and 2" hose cuff x 1.5" tool adapter

- Vibration Isolators with mounting hardware for quiet operation

- Camlock hose attachments make quick and easy setup of jobs

- Operating Instructions and Warning Sheets

NOTE: Requires CARB Certified fuel tank if purchasing for use in California!

..sold separately

SPECIFICATIONS:

- Rated 350 cfm at 18" mercury lift (continuous)

We don't cut corners on HP per cfm's because the extra HP delivers the cfm's through a longer 2" hoses. Our SGV systems suck very hard

>

and can collapse a 55 gallon drum, so we use extra sturdy D.O.T. approved 30 gallon XHD "waste-hauling drums". These are sand-blasted, rust protected and powder-coated to maintain abuseability, and appearance for many years.

RECOMMENDED ACCESSORIES:

- VacuBerm
- SC21V - 21" Vacuuming Surface Cleaner
- Secondary Silencers (for engine and vacuum blower)
- Larger Fuel Cells also available

SHIPPING:

- PRICE DOES NOT INCLUDE SHIPPING!
- After you checkout we will begin production on your order. When your order is ready we will contact you with the freight amount for payment.
- All shipping charges are the responsibility of the customer. SteamBrite ships internationally with R&L Carriers. We do NOT mark-up freight, but we do get very competitive rates. Please contact us if you would like to use your own carrier.
- ORDER CANCELLATION ON ANY PRODUCTION ORDER AFTER 24 HOURS IS SUBJECT TO A 30% RESTOCKING FEE!

LEAD TIME:

- There is a 10-14 day lead time for production on most machine orders. Common inventory items may ship faster.
 - Rush orders available for an additional fee, contact us for details
- Free shipping but customer is responsible for all shipping surcharges, including but not limited to palletizing \$50, Fuel surcharges, limited access fee (home delivery), lift-gate service when no forklift on site, calling for an appointment, etc...
- .Package does not include Vacuum recovery surface cleaner, pressure washer, VacuBerm
- Electricity required to operate the auto pump out pumps.

Includes

Factory Installed
Gardner Denver Sutorbilt Legend PD 4LL 4LP 4LR Truck Mount Vacuum 47
Blower Pump 86190710 GACLDRA-0084
or similar
Vacuum relief set to 14" HG / 190.33" water lift X 579 CFM = 110,201 Vacuum
Units.
This is enough vacuum to run two wands.

>

Factory Provided
Sirocco Puddle Sucker 20171118 Vacuum Scupper

Factory Provided
Hose Vacuum Hose 100 ft x 2.0in Double Lined Truckmount grade 20150122
or similar

Optional

Sirocco SC21V Vacuum Recovery Surface Spinner Stainless Steel 6035

Availability: This product was added to our catalog on Saturday 19 October, 2019