

>



Model Number: SCG6.5-4000v

Bull Dog Pro 6.5 GPM 4000 PSI SCG6.5-4000v Stationary Pressure Washer 23 Hp

Manufacturer: Sirocco

Bull Dog Pro 6.5 GPM 4000 PSI SCG6.5-4000v Stationary Pressure Washer  
SCG6.5-4000v Stationary Pressure Washer

BullDogPro® Pressure Washers are the toughest on the market, built specifically for demanding applications.. reliability, abuseability, serviceability, and the "rapid elimination of downtime." Powered by continuous duty Briggs & Stratton Vanguard or Kohler engines, BullDogPro® systems feature premium tri-plunger pumps, plumbed for reliability and long term low cost. For serious cleaning you need serious equipment. There's only one choice — BullDogPro®,. Clean up to 50% faster over traditional 4 gpm pressure washers

#### FEATURES:

- 23 HP Briggs & Stratton / Vanguard engine
  - Easy-starting, reliable, and very serviceable
  - 20 amp charging system
  - Super lo-tone muffler keeps motor ultra-quiet
  - Low-oil shutdown protection
  - Easy access oil-drain for quick oil changes and improved maintenance
- Vertical style frame is super-beefy, triple-step powder-coated, incorporates a unique and super-easy belt tensioning system (includes belt guard and cover panels)
- 50ft. 1/2" R2 high pressure hose (with stainless steel QC's)
- 36" Insulated wand with giant trigger gun (and stainless steel QC's)
- Mounting hardware with vibration isolators
- Operating instructions and warning sheets

Factory Installed

• AR Pump #XW series (rated to 7 gpm)

AR Pump XWAM7G40N 7 gpm 4000 psi 1750 rpm Industrial Replacement

Pressure Washer

or similar

• Industrial-grade, tri-plunger pump with forged brass head, bronze rods, stainless steel valves, big oil-bath and big thick ceramic pistons for super-long life.

>

Factory Installed  
â— 1" Clear-bowl filter (40 mesh screen)

Karcher 8.709-996.0 Clear Can Type Filter 1 Inch Fpt 40 Mesh C UPC  
704817429886  
or similar

Factory Installed  
4,000 psi safety relief  
Karcher: Pop-Off Valve 4000Psi 3/8Mip 8.721-376.0  
or similar

Factory Installed  
Black spring unloader valve  
AR VRT3-310 Unloader 8 Gpm Black Spring Top 4500 Psi - 8.750-299.0  
or similar

â— Tank-fed version (included) is plumbed with 1" x  $\frac{3}{4}$ " dual-feed lines into the pump head for the BEST of performance and reliability of seals, valves AND unloaders.

SPECIFICATIONS:  
â— 6.5 GPM output @ 4000 PSI with #6.5 nozzle

RECOMMENDED UPGRADES / ACCESSORIES:  
â— Fuel Tank  
â— Hose Reel  
â— Heater (up to 300&deg;F)

>

*Availability: This product was added to our catalog on Saturday 26 October, 2019*

Steambrite Supply