Construction Equipment > Core Drill Motors > Husqvarna 965987204, DM340 Core Rig Drill Motor, 120v 5-20P 20amp DM 340, GTIN 805544812917

Husqvarna 965987204, DM340 Core Rig Drill Motor, 120v 5-20P 20amp DM 340, GTIN 805544812917



Model Number: 965987204

Husqvarna 965987204, DM340 Core Rig Drill Motor, 120v 5-20P 20amp DM 340, GTIN 805544812917

Manufacturer: Husqvarna Equipment

Husqvarna DM340 Core Rig Drill Motor 120v 5-20P 20amp DM 340 965987204

Powerful electric core drill for use with stand. DM 340 is the perfect choice for medium and heavy core drilling where high production rates are needed, especially with large diameter core bits. Recommended diameter up to 400 mm. The motor is very easy to operate with several ergonomic features facilitating drilling and set up. Suitable for water evacuation, ventilation, angle drilling and stitch drilling

Applications

Core drilling up to 16" in diameter with Husqvarna drill stands
For reinforced concrete, bricks and other building material
Heavy-duty applications like water evacuation, channels for ventilation and plumbing, waste evacuation pipes, gas supply pipes, barriers, road signs and holes in corners for wall sawing openings
Angle drilling and positioning in all directions
Ideal for use with DS 450, DS 70 and GYRO 50 drill stands

Compare to current or past OEM associations:
DM340 Drill Motor
965987204
DM 340
965 98 72-04
GTIN 805544812917

Husqvarna DM 340 Drill Motor

Water Connector
G 1/4"

Weight
14 Kg / 30.86 lbs

Product Length

Husqvarna 965987204, DM340 Core Rig Drill Motor, 120v 5-20P 20amp DM 340, GTIN 805544812917

505 mm / 19.88 Inches

Product Width
142 mm / 5.59 Inches

Voltage
120 Volts

Watts / Amp
2000 / 16.66

Spindle Outer Thread
1 1/4" 7 UNC

Max Drill Bit Size
400 mm / 15.75 Inches

Recommended Drill bit Min
50 mm / 2 Inches

Number of Gearbox Speeds
3

Sound Power Level, Guaranteed (LWA)
113 dB(A)

Sound Power Level, Measured
112 dB(A)

Sound Pressure Level at Operators Ear
98 dB(A)

Power Cord Length
8 Feet

Steambrite Supply

Husqvarna 965987204, DM340 Core Rig Drill Motor, 120v 5-20P 20amp DM 340, GTIN 805544812917

2012 Schematics / Parts
Factory supplied 1 year warranty. Optionally purchase 3 to 5 years of investment protection.

Optional

Husqvarna DS 450 Core Drill Stand 966829808 Diameter 17.72 Inches / Travel 25 Inches DS450

Note, Husqvarna makes a DM 340 in 120 volts and a stronger 240 volt option. This web page is the 120 volt version
The stronger unit is located

Husqvarna DM340 Core Rig Drill Motor 98 72-07 240v L6-20P 14amp DM 340 987207
240 volt version, drills faster, much easier to plug in two 15 amp cords than a single 20 amp cord, more downward pressure can be applied
Read more on link.

https://www.masterwholesale.com/husqvarna-dm-340-core-rig-motor.html $2280.00
http://cougarsalesrental.com/construction-equipment-sales/husqvarna-dm340-drill/ $1995
dealer cost with 25% off = $2730 less 25% = $2047.50
-->

Options available for Husqvarna 965987204, DM340 Core Rig Drill Motor, 120v 5-20P 20amp DM 340, GTIN

Construction Equipment > Core Drill Motors > Husqvarna 965987204, DM340 Core Rig Drill Motor, 120v 5-20P 20amp DM 340, GTIN 805544812917

Husqvarna 965987204, DM340 Core Rig Drill Motor, 120v 5-20P 20amp DM 340, GTIN 805544812917

805544812917 :

Extended Warranty

+ No Extended Warranty, 2 Additional Years Parts Plus On Site Labor (Items under $2500.00) [SBMW2-2500], 4 Additional Years Parts and On Site Labor (Items under $2500.00) [SBMW4-2500].

Shipping Surcharges

+ Signature Required On All Deliveries.

Availability: This product was added to our catalog on Wednesday 04 December, 2019

Steambrite Supply