

>



Model Number: 71101376

Clean Storm 71101376, Husqvarna HTC T5 Duratiq Power Supply Bundle, No Generator Required - K31S20A L6-20R

Manufacturer: Clean Storm

Clean Storm 71101376 Husqvarna HTC T5 Duratiq Power Supply Bundle No Generator Required - K31S20A L6-20R

Husqvarna HTC T5 Duratiq Power Supply K31S20A to dual 5-15P.
No Generator Required 71101376

Power Cord Adapter Inverter (Reverse Converter) Takes two 115 volt outlets and allows you to use 230-240 volt appliances that uses under 20 amp @ 230-240 volts (4800 watts) Single phase current to dual NEMA 5-15R receptacles. Fast and Easy 220 volts.

Bundle Includes one each item below:

593724401 Extension Power Cord 230 Volt 50 ft 10 gauge 3 wire 10-3 with ends installed L6-20 P and K31S20A HTC T5 Single Phase Ginders Bundle

Husqvarna PG280 PG450 PG530 DM340 Power Supply L6-20R
Bundle No Generator Required 71108102
- Extended Warranty + No Extended Warranty
- Shipping Surcharges + Signature Required On All Deliveries

>

Commonly used with:

HTC T5 Duratq 5 Single Phase Concrete Floor Grinder

Husqvarna PG540 240 volt Single Phase

Fuijian Xingyi Intelligent Equipment Co HTG-550 490mm 4.4KW 240 Volt Single Phase Grinder 18 Amps

Fuijian Xingyi Intelligent Equipment Co HTG-250 250mm 2.2KW 240 Volt Single Phase Grinder 9.2 Amps

Zhengzhou Zhongheng Machinery Equipment Co YM330 mm 240 volt 4 KW Single Phase Grinder 16.7 Amps

ASL T330 240V Single phase Grinder 17 Amps 3 HP. (will not work with 3 phase version)

*** This item includes a bonus [L6-20P] *** (link to plug)

Other 220 to 240 volt receptacles available including but not limited to: NEMA 6-30R, NEMA 6-50R, NEMA 10-30R, NEMA L14-30R, NEMA L16-30R, NEMA 14-60R, and more...

Perfect for electric cars, pressure washers, welders, plasma cutters, vapor steam cleaners, mobile simulation lab (RN), concrete grinders, and other high powered equipment when 230 volt plugs are just not available.

Not for use on GFCI or LDCI 115-125 volt Outlets (because it will trip)

To use simply plug into different outlets and push the momentary button to test voltage. If the voltage test light turns on you are good to go. Not all outlet combinations will produce the correct voltage so you have to test before each use. If you push the voltage test button and the green light does not turn on, simply re-located one of the power cords to a different location and retest. Every job site location has the ability to provide plus or minus 230 volts. If you use 15 amp 115 v to 120 volt circuits then you will only be able to operate 15 amp 230 volt equipment. If

>

your pressure washer needs 23 amps @ 230 volts and you are plugged into 20 amp 115 volt outlets, you will need to turn the pressure down to lower the amp draw. Just turn the pressure regulator / unloader knob counter clockwise. The less pressure, the less horse power is needed to turn the electric motor and this will lower the amp draw. Most 230 volt pressure washers draw less than 20 amps @ 230 volts any way so usually you will not have to turn the pressure down. Commonly used the the Hypervac Hybrid Air Duct cleaning Machine.

Until both 120 volt power cords are connected to a 120 volt electrical source, it is electrically isolated from the electrical circuit of the exposed male plug on the 2nd power cord. This protects the user from accidental shock through the exposed male plug contact.

Plastic Box is 6" X 6" X 5"
Dual 12-3 X 25 ft power cords with dual 20 amp push breakers.
240 volt Green Test Light with Momentary switch (phase location).
Rubber feet on bottom of box

You must test both wall outlets with a receptacle polarity tester before use!

Factory Provided 20100823
Electrical Outlet Receptacle Tester 3 wire 120 volt

Note: User assumes all responsibility on use. It is the users responsibility to check the inbound voltage, outbound voltage, and total amp draw to verify these are not going to be overloaded. The user agrees to test the amp draw of any appliance or machine that they plug into these converters to ensure they are not being overloaded. Meters are cheap and mistakes are expensive. You can purchase a meter at <https://www.steam-brite.com/voltage-meter-multitester-p-6259.html>
User agrees to hold Steam Brite, its employees, and agents harmless in the event of any use of said use of converter. The user agrees to not hold SteamBrite and all employee against any problems that arise out of the use of said converters/ inverters. Remember, just because it plugs in does not mean it is OK to use!

Please remember the 80/20 electrical rule. If you are going to plug into a 15 amp outlet and draw long term the device needs to be under 80% of 15 amps = 12 amps max.
If I plug into dual 20 amp breakers long term then the 80/20 rules math is 20 amps X 80% = 16 amps max.

1 Year manufacture's warranty or add 2 or 4 more years for a little more.

>

Watch Video at <https://youtu.be/ZI0TYoJ9NDI>

Availability: This product was added to our catalog on Wednesday 11 December, 2019