

>



Model Number: 965987210A

Demo Husqvarna DM340 Core Rig Drill Motor 98 72-07 240v L6-20P DM 340 [965987210A]

ENO50 GTIN 805544869638

Manufacturer: Husqvarna Equipment

Used Husqvarna DM340 Core Rig Drill Motor 98 72-07 240v L6-20P 14amp Used
Demo DM 340 987207 [965987210A] ALL SALES FINAL.

Powerful electric core drill for use with stand. DM 340 is the perfect choice for medium and heavy core drilling where high production rates are needed, especially with large diameter core bits. Recommended diameter up to 400 mm. The motor is very easy to operate with several ergonomic features facilitating drilling and set up. Suitable for water evacuation, ventilation, angle drilling and stitch drilling.

The L6-20 Plug makes this one of the strongest yet easiest to plug in drill motor with the optional converter power pack.

Factory Installed

NEMA L6-20P Plug for 10 and 12 AWG Wire

See below on how to plug in without a generator.

Applications

Core drilling up to 16" in diameter with Husqvarna drill stands

For reinforced concrete, bricks and other building material

Heavy-duty applications like water evacuation, channels for ventilation and plumbing, waste evacuation pipes, gas supply pipes, barriers, road signs and holes in corners for wall sawing openings

Angle drilling and positioning in all directions

Ideal for use with DS 450, DS 70 and GYRO 50 drill stands

240 volt 14 amp version allows for faster drilling and can handle more downward pressure!

Compare to current or past OEM associations:

DM340 Drill Motor

98 72-07

DM 340

987207

965987210A

>

965 98 72-10A
GTIN 805544869638

Husqvarna DM 340 Drill Motor

Water Connector
G 1/4"

Weight
14 Kg / 30.86 lbs

Product Length
505 mm / 19.88 Inches

Product Width
142 mm / 5.59 Inches

Voltage
240 Volts

Watts / Amp
3300 / 13.75

Spindle Outer Thread
1 1/4" 7 UNC

Max Drill Bit Size
400 mm / 15.75 Inches

Recommended Drill bit Min
50 mm / 2 Inches

Number of Gearbox Speeds
3

Sound Power Level, Guaranteed (LWA)
113 dB(A)

>

Sound Power Level, Measured
112 dB(A)

Sound Pressure Level at Operators Ear
98 dB(A)

Power Cord Length
8 Feet

2012 Schematics / Parts

1 Year factory supplied warranty. Optional purchase additional years.

Demo / refurbished / blemished means: might have blemish, scratch, rust, or dent, used at a trade show, tested in the showroom by a customer, last years model, return by shipping company, returned by customer, used by factory for R&D work, no factory box. Limited stock so if you purchase it and we cannot fill the order because another customer beat you to the bargain, your money will be returned. Please do not call to see if it is still available as if the web page is up and viewable, it is available this second. If you delayed and asked if it available so you let some other customer place the order ahead of you. All sales are final. Same factory warranty as brand new: 1 years parts

Extended the warranty to 3 or even 5 years for a little more with no hour exclusions.

Condition of this machine: "A" Only 3 at this price!

Our demo A Rated equipment usually has less than 100 hours on it.

Photos are not available as these ship from the factory direct as they have already been refurbished, cleaned, tested, and crated.

Ships from TCMF warehouse. Only 1 left at this price!

Optional

SteamBrite Husqvarna L6-20 Professional Power Supply Kit 20671527
Bundle PG280 PG450 PG530

Plug into every single building in the USA, Canada, Mexico, and Japan

No generator required.

This drill will operate on two standard 15 amp breakers 120 volt outlets

Video on link!

>

<https://www.masterwholesale.com/husqvarna-dm-340-core-rig-motor.html> \$2280.00
<http://cougarsalesrental.com/construction-equipment-sales/husqvarna-dm340-drill/>
\$1995 (120 volt)
dealer cost with 25% off = \$2730 less 25% = \$2047.50
-->

Availability: This product was added to our catalog on Saturday 18 January, 2020