

>



Model Number: 480-120

Mytee 480-120 Carpet Cleaning Turbo Heater 210 Degrees 120Volt 4800Watts [480-120] Price Match

Manufacturer: Mytee Products

Mytee 480-120 Portable In-Line Boxed Carpet Extractor Turbo Heater

This Mytee 480-120 Boxed Heater is a two of 2400 watt portable heater that can be hooked up to

Any hot or cold water carpet and upholstery cleaning extractor for instant heat boost.

Switches allow you to select

Either 1200 (10 amps), 2400 (20 amps), 3600 (Dual 15 amps), or 4800 watts (Dual 20 amps) of heat for 210 degree maximum heat.

Dual power cords on different 20 amp breakers required.

Optional 3 Year Warranty

Purchase 2 more years on top of the factory warranty covering, parts, labor, shipping, and even on site service

Extended Warranties for Equipment Valued up to 7499.99 Available Warranty

Watts:	4800 - 210 Degree maximum
Amp Draw:	10A, 20A, 30A, or 40A - four switches
Max Temperature:	210 Degree water Temp
Maximum Pressure:	1500 PSI
Heater:	4800 Watt, (4-1200 Watt Heaters)
Dimensions:	14" x 14" x 14"
Weight:	25 lbs.
Shipping Dimensions:	23" x 21" x 14"
Shipping weight:	33 Lbs.
Warranty:	Limited 5 year pro-rated parts warranty

Compare to current or past OEM associations:

>

240110
240-120
1963516216
MY240-120
47131826
B01KWF1176
400014039445

Call SteamBrite 210-662-9000

<https://www.webstaurantstore.com/viewcart.cfm> \$819.00 2 month wait.

-->

Blending the power of your two power corded portable carpet cleaning machine.

Optional

Magnetic Clamp-On Water Softener Descaler for Truckmount & Portable Carpet Cleaning Machines 20260425

- Helps prevent scale buildup in pipes, coils, heaters, and carpet cleaning heat exchangers
- Reduces or eliminates routine monthly descaling in many applications
- Clamp-on installation — no cutting, plumbing, salt, chemicals, or cartridge replacement
- Maintenance-free design — no salt, resin, plastic pellets, filters, or media to flush
- Improves heat transfer efficiency by helping keep mineral buildup off heater surfaces
- May improve water flow / GPM by helping reduce mineral restriction over time

>

- Only 4 inches long for installation in tight areas on portable and truckmount equipment
- Longer Equipment lifespan

Availability: This product was added to our catalog on Friday 03 July, 2020