Parts & Accessories > Engines > Kohler Courage Retired Engines (Contact for a replacement) > Kohler PA-ZT740-3036 Confidant Vertical Twin Cylinder 25 Hp Engine ZT740 E09 TORO - PA-ZT740-3059 GTIN N/A

Kohler PA-ZT740-3036 Confidant Vertical Twin Cylinder 25 Hp Engine ZT740 E09 TORO - PA-ZT740-3059 GTIN N/A



Model Number: PA-ZT740-3059

Kohler PA-ZT740-3036 Confidant Vertical Twin Cylinder 25 Hp Engine ZT740 E09 TORO - PA-ZT740-3059 GTIN N/A

Manufacturer: Kohler

Kohler PA-ZT740-3036 Confidant Vertical Twin Cylinder 25 Hp Engine ZT740 E09 TORO - PA-ZT740-3059

CONFIDANT ZT740
Unleash the muscle of Confidant.™
Crankshaft 16 014 11 1.125" X 4.3"
HPAC Air Cleaner

3500 RPM
Bendix Drive Starter

1

Designed to get the job done reliably, Confidant engines are battle-tested to meet KOHLER Command PRO® durability tests. They feature a 3 year, unlimited hour, limited warranty.

Features

- Cast-iron cylinder bores protect under dirty conditions
- High-impact nylon shroud and valve cover protect against damage to internal components
- Chopper grass screen guard prevents grass and debris packing
- Heavy-duty air cleaner and stamped steel guard stand up to tough mowing conditions
- Pressure lubrication and cooler operation help extend engine life

Equipment Types
This engine powers the following equipment

- Commercial Wide Area Walk Behind Mower
- Commercial Zero Turn Mower
- Residential Zero Turn Mower
- Residential Rider

Engine type

Steambrite Supply

Kohler PA-ZT740-3036 Confidant Vertical Twin Cylinder 25 Hp Engine ZT740 E09 TORO - PA-ZT740-3059 GTIN N/A

Four-cycle, twin-cylinder, air-cooled, vertical shaft, gasoline, OHV, with cast iron liner.

ModelZT740
HP (kW) 125(18.6)
Displacement (cc)45.6 (747)
Bore in (mm)3.3 (83)
Stroke in (mm)2.7 (69)
Gross Torque ft lbs (Nm) 142.4 (57.5)
Compression Ratio9.1:1
Dry Weight lbs (kg)91 (41.3)
Oil Capacity US qts (L)2 (1.9)
LubricationPressure lubrication w/full flow filter
Dimensions LxWxH (in)*18.8 x 17.5 x 17
Backpressure Limit 250
Certified Power HP (kW) 324.21 (18.05)
Certified RPM3600
Engine TypeCommercial

.Owners Manual

Service Manual
*Length is front of air cleaner cover to back of blower housing. Width is side to side. Height is mounting surface to grass screen.
1 Power (hp) and Torque (ft lbs) specifications for Kohler general purpose engines are rated pursuant to Society of Automotive Engineers (SAE) J1940 based on gross output testing performed according to SAE J1995 without the air cleaner and muffler. Actual engine power and torque are lower and affected by accessories (air cleaner, exhaust, charging, cooling, fuel pump, etc.), application, engine speed, ambient operating conditions (temperature, humidity and altitude) and other factors. This J1940 / J1995 rating provides consistent measurement to customers who may want to control the intake and exhaust features of the engine. For more information, contact Kohler Co. Engine Engineering Department. Kohler Co. reserves the right to change product specifications, designs and standard equipment without notice and without incurring obligation.

2 Inches of H20 @ 3600 RPM WOT

3 J1995 power and torque certified by 3rd Party Witness

Steambrite Supply

Parts & Accessories > Engines > Kohler Courage Retired Engines (Contact for a replacement) > Kohler PA-ZT740-3036 Confidant Vertical Twin Cylinder 25 Hp Engine ZT740 E09 TORO - PA-ZT740-3059 GTIN N/A

Kohler PA-ZT740-3036 Confidant Vertical Twin Cylinder 25 Hp Engine ZT740 E09 TORO - PA-ZT740-3059 GTIN N/A

Options available for Kohler PA-ZT740-3036 Confidant Vertical Twin Cylinder 25 Hp Engine ZT740 E09 TORO - PA-ZT740-3059 GTIN N/A :

Shipping Surcharges

+Home Delivery Needs Liftgate Curb Service Because No Forklift On Site With Appointment Delivery Time, Commercial Address But Needs Liftgate Service Because No Forklift or Dock on Site No Appointment Provided, Residential Forklift Onsite Limited Access + Needs Appointment, Home Delivery Needs Liftgate Curb Service Because No Forklift On Site (Required) No Appointment Provided, None Commercial Address Forklift / Loading Dock On Site No Appointment Provided.

Availability: This product was added to our catalog on Monday 18 October, 2021

Steambrite Supply