

>



Model Number: 20211029

Clean Storm 20211029 Steam Cleaning 1000psi 3 Gpm 2Hp Quad Vac Electric Truck Mount 165Ft Hoses Tile Carpet Bundle

Manufacturer: Clean Storm

Clean Storm 20211029 Steam Cleaning 1000psi 3 Gpm 2Hp Quad Vac Electric Truck Mount 165 hoses Tile and Carpet Tools
Bundle includes:

Clean Storm 20211028 Heated Electric Pressure Washer 1000psi 3 Gpm 2Hp 5 Gal Tank 120 Volts 395 lbs Cart Style

Maintains 195 degrees in 30 seconds and never cools down

DriStorm Goliath Flood Pumper 26gal Four 2 Stage Vacs Pressure Washer Recovery 120v APO Lint Filtration SBM-GO-A SBMGOA

-
30 amp vacuum
4 vacuum motors
170" Lift X 250 cfm = 42,500 vacuum units
Runs 200 ft of hose

>

Electrical Converter 230 Volt 3 wire/prong 30 amp TO 115 Volt 3 Gang
(6 Outlets) Adapter NEMA 10-30P to NEMA 5-20R Starter Package 10150304

Clean Storm Hose Set 165 ft 150 ft 2 in 15 ft 1.5 in Solution and
Vacuum With Ball Valves Bundle 20140222

StainOut T015 Injection Sprayer Plus High Pressure with blow molded
jug 1-8 ratio or 1 - 4 ratio Freight Included [T-015]

Turborforce TH40 Turbo Hybrid 12in Tile And Grout Cleaning Optional
Discount Cobra Bundle TH-40 Freight included

>

Included Mytee Trex 15 Rotary Extractor Power Wand Price Match Air Mover

Clean Storm SBMC42 Speed Perimeter Crevice Tool Vacuum Only
Aluminum Pipe 1-1/2in ID 42in Long

Clean Storm 20120606 Pressure Washer QD to Rust Bleeder to
Filtered Insulated Carpet Cleaners QD Female Socket as first Piece

20130107 22mm Twist Coupler Female To 3/8 Stainless Steel Male QD Adapter

>

Clean Storm Hot Water Pressure Washer is electric powered and uses diesel fuel to heat the water—this is often referred to as an oil fired burner system. All systems that use or burn a fuel should be operated outdoors or properly vented.

Features include an industrial motor that is totally enclosed and thermal overload protected, industrial triplex plunger pump with ceramic plungers and stainless steel valves is equipped with low pressure chemical injection and system is protected by unloader valve and secondary pressure pop off. Burner system includes a rust free fuel tank, schedule 80 coil with stainless steel wrap, is controlled by an adjustable thermostat and temperature limit switch for a maximum temperature 195° F. The frame is industrial coated & tubing equipped with a wand/hose rack and rolls on two 13" tires. Heavy duty trigger gun with a dual wand with side handle valve allows for user to switch from high pressure cleaning to detergent application and is equipped with quick change 0°, 15°, 25°; and 40°; nozzles.

Be sure to check the electrical requirements of the pressure washer and the compatibility with your electrical supply. If you have any questions just contact us or consult your local licensed electrician.

All systems that use or burn a fuel should be operated outdoors or properly vented.

Brand: Clean Storm
Water Type: Hot
Powered By: Electric Motor
Mounting Type: Cart
Flow Rate in GPM / LPM: 3 / 11.4
Horsepower: 2
Product Dimensions: 53" L X 33" W X 58" H
Voltage / Amperage / Phase: 120 Volt / 20 Amp / 1
Pump Thermal Protection: Mechanical
Max Pump Inlet Water Temp: 140° F
Hose Dimension: 50' x 3/8"
Power Cord: 35' with GFCI
Ship Weight: 395
Heated By: Diesel Fuel
Burner Fuel Tank Capacity: 5 Gallon
Burner Fuel Type: Diesel Fuel
Burner Stack Dimension: 8"
Operating Pressure in PSI / Bar: 1000 / 69

>

Availability: This product was added to our catalog on Thursday 21 October, 2021

Steambrite Supply