

>



Model Number: 20220217

Clean Storm 20220217 Connection kit PumpTec 80346 1200PSI Pressure Washer Pump Tile Carpet Cleaning Hook Up Hoses GTIN NA

Manufacturer: Clean Storm

PumpTec 80346 Water Otter 1200 psi Pressure Washer Pump For Tile Carpet Cleaning and Misting systems AS1200 Shock Wave 360U
Bundle includes:

PumpTec 80346 Water Otter 1200 PSI Pressure Washer Pump For
Tile Carpet Cleaning Shock Wave 360U - AS1200

Clean Storm 20220209 Basic Hot Water Auto Fill Hose For Carpet and
Tile Cleaning For Shower And Bath Sink

>

Description

Turn any portable extractor into an incredible tile and grout machine with the Water Otter!

The worlds #1 best selling carpet and tile cleaning pump. This is the same pump installed under the hood of 90% of the tile cleaning machines on the market today. By hooking your pressure hose to the Water Otter instead of your portable extractor, you'll get 1200 psi of raw power to blast grout lines clean! Now you just need to hook your vac hose to your portable extractor, and put on a good tile and grout tool (SX-12 or Gekko come to mind) and you're ready to clean tile with the best! Clean at 500 psi for carpet cleaning or turn it down to 200 psi for upholstery cleaning. Also used as a high pressure misting system pump.

Specification

Commercial Duty

American-Made Pump and Motor

1,000 - 1,200 psi, 2.2 GPM at Nozzle Tip (turn down pressure if you like to as low as 200 psi)

14.3 Amp High Efficiency Motor

Maintenance-Free 1,200 psi Pump

1,000 Hour Continuous, Full Load Rated

Simple Repair, Low Cost Parts

Each Component The Best Available

GFCI with 35' Cord (120 volt versions only)

Female Garden Hose Inlet

1/4 Female Quick Connect Outlet

Max Water Temperature 140 degrees

120 Volt, 8 to 15 amps (depending on pressure), 240 volt version is this amp draw cut in half.

fitted with an m44 motor, this is the motor used for a hard surface pumping system that is outside the extractor case.

Does come with a pressure gauge.

Out of box measurements 14" X 11" 11" H

Shipping wt: 50#s

Shipping dimensions: 20" X 16" X 15"

Amp draw is 7.5 amps to turn on + 1 amp for each 200 psi you ask it to push.

Example 500 psi uses 10 amps @ 120 volts

Parts list

Brochure

Start Up Procedures

PumpTec Warranty Info

Pressure washer motor information below:

>

Video

Note Pumptec Dealers do not receive the faucet adapter, connection hose, or free sipping. Just the pump at dealer prices + shipping

Pictures

Current or past OEM Associations

CWS-HDS1200

80346

20-0640

AS1200

Cross American Shock-Wave

Factory has used 360U, 356U, and 340U pump heads

PT-80346

13031749333

224520279465

332490529608

Optional

Pumptec 0100-6205-0180 KIT-C 348 356 357 360 .180 CAM 7/16
THREAD .465 THICK

>

Faucet Adapter 15/16ths to Garden Hose Connection [291A] FGHA
AX22 (fits most 13/16ths) 1665-0273 Kaivac FGHA

Clean Storm Auto Fill Hose 6 ft By 1/2 Inch ID with 90 degree Fitting
for Hot water Garden Hose 20130305

Shower Head Hot Water Hook Up Hose Kit SBM1834

Clean Storm Automatic Fill Kit for Carpet and Tile Cleaning Machines
[20201001]

>

Four (4) Way Faucet Key J40-005 and AX51 717510409055

Extended Warranties for Equipment Valued up to 7499.99 Available
Cleaners Priority Service Warranty SBMW

Includes factory installed
Pumptec 70035 Unloader Pressure Regulator 1000-1200 PSI
MV520_VR54_VB3_23-095 3/8 M(2) F(1) Ports Gold Spring

<https://4jhoseandsupply.com/product/pumptec-hard-surface-pump-motor-set-360u-180-m44-120-volt-80346/> \$1299
<https://pumpbiz.com/hard-surface-pump-motor-set-hard-scape-pump> \$1271.55
-->

>

Availability: This product was added to our catalog on Tuesday 15 February, 2022

Steambrite Supply