

>



Model Number: 20220723

Mytee 8070 StartUp Lite IV Portable Detailer Starter Package Carpet Cleaning Wand Bundle
Freight Included 20220723

Manufacturer: Clean Storm

Mytee 8070 Lite IV Portable Detailer Starter Package W/ Carpet Cleaning Wand,
hand wand, Bundle 20220723

This Starter Package includes the Following:

Mytee 8070 Lite IV HEATED Auto Detail Upholstery Carpet Cleaning
Extractor 120psi 4gal 3stg Vac
hose set detail tool

Westpak 10-1420 Single Jet 10 Inch Wide Collapsible Carpet
Cleaning Wand
Sandia Plastic 10-0455 330-11003FB
- Quick Disconnect Coupler Needed .Male Brass Carpet Cleaners
Style (Default) 1/4



Steambrite Supply

DefSemiHidden="true" DefQFormat="false" DefPriority="99"
LatentStyleCount="267">

UnhideWhenUsed="false" QFormat="true" Name="Normal" />

UnhideWhenUsed="false" QFormat="true" Name="heading 1" />

>

UnhideWhenUsed="false" QFormat="true" Name="Title" />
UnhideWhenUsed="false" QFormat="true" Name="Subtitle" />
UnhideWhenUsed="false" QFormat="true" Name="Strong" />
UnhideWhenUsed="false" QFormat="true" Name="Emphasis" />
UnhideWhenUsed="false" Name="Table Grid" />
UnhideWhenUsed="false" QFormat="true" Name="No Spacing" />
UnhideWhenUsed="false" Name="Light Shading" />
UnhideWhenUsed="false" Name="Light List" />
UnhideWhenUsed="false" Name="Light Grid" />
UnhideWhenUsed="false" Name="Medium Shading 1" />
UnhideWhenUsed="false" Name="Medium Shading 2" />
UnhideWhenUsed="false" Name="Medium List 1" />
UnhideWhenUsed="false" Name="Medium List 2" />
UnhideWhenUsed="false" Name="Medium Grid 1" />
UnhideWhenUsed="false" Name="Medium Grid 2" />
UnhideWhenUsed="false" Name="Medium Grid 3" />
UnhideWhenUsed="false" Name="Dark List" />
UnhideWhenUsed="false" Name="Colorful Shading" />

>

```
UnhideWhenUsed="false" Name="Colorful List" />
UnhideWhenUsed="false" Name="Colorful Grid" />
UnhideWhenUsed="false" Name="Light Shading Accent 1" />
UnhideWhenUsed="false" Name="Light List Accent 1" />
UnhideWhenUsed="false" Name="Light Grid Accent 1" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 1" />

UnhideWhenUsed="false" QFormat="true" Name="List Paragraph" />
UnhideWhenUsed="false" QFormat="true" Name="Quote" />
UnhideWhenUsed="false" QFormat="true" Name="Intense Quote" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 1" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1" />
UnhideWhenUsed="false" Name="Dark List Accent 1" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 1" />
UnhideWhenUsed="false" Name="Colorful List Accent 1" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 1" />
UnhideWhenUsed="false" Name="Light Shading Accent 2" />
UnhideWhenUsed="false" Name="Light List Accent 2" />
UnhideWhenUsed="false" Name="Light Grid Accent 2" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 2" />
```

>

UnhideWhenUsed="false" Name="Medium List 2 Accent 2" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2" />
UnhideWhenUsed="false" Name="Dark List Accent 2" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 2" />
UnhideWhenUsed="false" Name="Colorful List Accent 2" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 2" />
UnhideWhenUsed="false" Name="Light Shading Accent 3" />
UnhideWhenUsed="false" Name="Light List Accent 3" />
UnhideWhenUsed="false" Name="Light Grid Accent 3" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 3" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 3" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3" />
UnhideWhenUsed="false" Name="Dark List Accent 3" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 3" />
UnhideWhenUsed="false" Name="Colorful List Accent 3" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 3" />
UnhideWhenUsed="false" Name="Light Shading Accent 4" />
UnhideWhenUsed="false" Name="Light List Accent 4" />
UnhideWhenUsed="false" Name="Light Grid Accent 4" />

>

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 4" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 4" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4" />
UnhideWhenUsed="false" Name="Dark List Accent 4" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 4" />
UnhideWhenUsed="false" Name="Colorful List Accent 4" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 4" />
UnhideWhenUsed="false" Name="Light Shading Accent 5" />
UnhideWhenUsed="false" Name="Light List Accent 5" />
UnhideWhenUsed="false" Name="Light Grid Accent 5" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5" />
UnhideWhenUsed="false" Name="Dark List Accent 5" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 5" />
UnhideWhenUsed="false" Name="Colorful List Accent 5" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 5" />

>

```
UnhideWhenUsed="false" Name="Light Shading Accent 6" />
UnhideWhenUsed="false" Name="Light List Accent 6" />
UnhideWhenUsed="false" Name="Light Grid Accent 6" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6" />
UnhideWhenUsed="false" Name="Dark List Accent 6" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 6" />
UnhideWhenUsed="false" Name="Colorful List Accent 6" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 6" />
UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis" />
UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis" />
UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference" />
UnhideWhenUsed="false" QFormat="true" Name="Intense Reference" />
UnhideWhenUsed="false" QFormat="true" Name="Book Title" />
```

```
/* Font Definitions */
@font-face
{font-family:"Cambria Math";
panose-1:2 4 5 3 5 4 6 3 2 4;
mso-font-charset:1;
mso-generic-font-family:roman;
mso-font-format:other;
```

>

```
mso-font-pitch:variable;
mso-font-signature:0 0 0 0 0 0;}
@font-face
{font-family:Calibri;
panose-1:2 15 5 2 2 2 4 3 2 4;
mso-font-charset:0;
mso-generic-font-family:swiss;
mso-font-pitch:variable;
mso-font-signature:-1610611985 1073750139 0 0 159 0;}
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal
{mso-style-unhide:no;
mso-style-qformat:yes;
mso-style-parent:"";
margin-top:0in;
margin-right:0in;
margin-bottom:10.0pt;
margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri", "sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoChpDefault
{mso-style-type:export-only;
mso-default-props:yes;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoPapDefault
{mso-style-type:export-only;
margin-bottom:10.0pt;
line-height:115%;}
@page Section1
{size:8.5in 11.0in;
margin:1.0in 1.0in 1.0in 1.0in;
mso-header-margin:.5in;
mso-footer-margin:.5in;
```

>

```
mso-paper-source:0;}
div.Section1
{page:Section1;}
-->
```

Pa

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-qformat:yes;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:"Times New Roman";
mso-fareast-theme-font:minor-fareast;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;}
```

Mytee 8070 HEATED Auto Detail Upholstery Carpet Cleaning Extractor
Mytee Lite 4 (4th generation)

The NEW MYTEE-LITE® – When perfection gets a face lift.
Our best selling upholstery machine, The 8070 Mytee-Lite® has gotten a face lift. If you are looking for an upholstery-spotting machine that can do the job of a full-size extractor, but is small and light enough to hold in one hand! Meet the NEW

>

8070 Mytee-Lite™; automotive detail extractor, the first in the industry to include an on-board heater for maximum cleaning power. The 8070 Mytee-Lite™; is known industry-wide for its heat, which allows you to quickly break up grease and dirt. At three gallons, it's perfect for both spotting and small detailing jobs. The 8070 Mytee-Lite™; Automotive Detail Extractor is known industry-wide for its:

Performance. The 1,000-watt in-line heater produces hot water that quickly breaks up grease and dirt. The new Mytee-Lite™; Contains a NEW & IMPROVED single 3-stage HP motor making the extractor even more effective.

Convenience and safety. The 8070 Mytee-Lite™; features include an easy twist-off recovery tank lid, NEW easy to install handle with deeper storage basket with hanger for hoses and cleaning solutions and Mytee's™; optional 3601 System Maintainer™;, which reduces pump corrosion and clogging. With a built-in cord wrap, the unit's 25' lighted power cord will not be a tripping hazard.

NEW – Easily fill solution tank with bucket or "Faucet Fill";

NEW – Recovery tank drain.

Tools – 15' vacuum and solution hose along with the 4" stainless steel upholstery tool are still included.

Versatility. The optional floor wand allows you to also clean small carpeted areas.

Durability. The 8070 Mytee-Lite™; is built tough with Mytee's™; roto-molded housing.

Transport and storage friendly – Because of its compact size and easy-push handle, the Mytee-Lite™; can be easily transported and stored.

For years now, Mytee's™; has been highly recognized in regard to their detailing extractors within the automotive industry. You can rest assured that you will be receiving a high quality detailing machine. So don't wait! Join the thousands of satisfied customers who have made the 8070 Mytee-Lite™; part of their upholstery cleaning and detailing response team.

Water Proof Switches

Waterproof switches add protection against dust and water intrusion.

Locking Casters

Locking casters provide stabilization and prevents any unwanted movement.

Lighted Power Cords

Lighted power cords indicator plug glows when the cord has power.

Cuff-Lynx™; Ready

Cuff-Lynx™; provide an easy connection for vacuum hoses.

This small, compact unit is perfect for those quick spot jobs and also makes a nice entry-level extractor for homeowners. Its small design makes it very portable and easy to use.

Available in optional 230 volt for international use

>

Warranty
5 year pro-rated.

Body
Roto-molded polyethylene

Tank
4 gallon

Vacuum
Single 3 stage

Mytee C302LA Electro Vacuum Motor Model Q6600-090A-MP-26 3 stage 120V Flat Bottom (C302 original part number) or similar

CFM
100

H2O
130"

Pump
Diaphragm

PSI
120

>

Aquatec 120psi Water Pump 115v 1.3 gpm Mytee C305 For Carpet
Cleaning Machines 58-ELK-120
or similar

GPM
1.3

Heater
1000 W - 210 degree maximum

Wheels
6"

Locking Casters
2"

Power Cord
Single 25' 12/3

Tools
4" Plastic upholstery tool

4in Auto Detailer Tool - Stainless Head - 1.50in Pipe - 1 Jet
Or similar

Note Mytee also fills orders with plastic hand wands too.

>

Hose Package
15' vacuum and solution hose combo

Product Weight
48 lbs

Shipping Weight
63 lbs

Product Dimensions
10" x 18" x 28 1/2"

Shipping Dimensions
23 1/4" x 15 1/2" x 36 1/2"

Brochure
User Manual 2014
User Manual prior to 2014
Parts List Jan. 2014 - Present
Parts Lists Aug. 2013 - Dec. 2013
Parts Lists Feb. 2013 - July 2013
Wiring Diagram 2014
Wiring Diagram prior to 2014

Mytee may make changes in products it manufactures and markets at any time; these changes are made without obligation to change, retrofit, or upgrade any product previously sold or manufactured.

<https://www.kleen-ritecorp.com/p-24275-mytee-lite-ii-a8070-hot-water-extractor.aspx>
-->

Mytee Products Warranty Details

Mytee 8070 Question and Answers:

Question: Can I mix my cleaner with the water that I pour into my fresh water tank?

Answer: NO! This is not recommended as you should always prespray, agitate the cleaners and then use the machine to rinse off what I have already presprayed and scrubbed. Most cleaners will ruin the pump and the heater at the same time.

Question: Since it is a heated machine, can I use cold water?

Answer: You can but will supply minimal heating results. Please note this is a super small heater and will only boost the water temperature about 20 degrees F hotter than what you pour into the freshwater tank, so if I add cold 65-degree water, the

>

machine is only going to clean at 85 degrees F. If I use 120-degree hot tap water, now I can clean at 140 degrees.

Question: Is this a steam Cleaner?

Answer: No. This is a hot water extraction machine as it will not clean with steam.

Question: What is the hottest water temperature that this machine will accept being poured into the fresh tank?

Answer: 140 degree F.

Question: Factory states up to 120 psi, does it actually clean at 120 psi?

Answer: No. This machine is a suction feed machine and not a pressure feed machine. This means when you squeeze the wand trigger, the pump has to suck the water out of the water tank as well as push it through the heater and out the hose. If you convert the machine to pressure feed it would provide 120 psi but being that it is suction feed it will be a little under this number.

Question: Factory states heats water up to 210 degrees, is this true?

Answer: Yes, when you set the cleaning wand down and quit cleaning the 8 oz heater under the hood will reach 210 degrees and turn itself off. When you pick up the wand and start cleaning again, the heater will turn itself back on and provide you 8 ounces of really hot water. But for the average person cleaning and using the machine, expect a 20 degree rise up and above what ever you pour into the machine to start.

Question: Is this a 'good' or 'professional' machine?

Answer: This is the most common question of them all and the answer is both yes and no. Please note Amp draw is king! In the world of auto detail machines, we sell them with one power cord, 2 cords, 3, 4, 5 and 6 power cords. We have systems that burn propane, kerosene, diesel fuel to heat the water. Systems that use open spray wands, closed spray wands, and internal spray wands. So out of the 500+ different machines we sell it is near the bottom of the barrel on professional machines drawing 20 amps at 120 volts. Any machine that uses more power than this will out clean this machine. This is the laws of physics. The more energy you place in the vacuum, pump and heating system the faster you can clean. I had the Hertz Rent-A-Car account for years and you never consider this machine as it is just too slow. Most professionals would consider a 30 to 40 amp machine for professional cleaning. The flip side of this is this is the best-selling machine out of all of them because of this price. It is a lot of machine for the money. I had a customer stated he wanted to return the machine as he complained it was too slow. This is like a customer purchasing a bicycle and then complaining if does not drive as fast as an internal combustion engine. If you want to clean like a 30 amp machine, purchase a 30 amp machine.

Question: Can I use this machine on a 15 amp breaker?

Answer: Yes, simply turn the heater off. The water pump and vacuum will use less than 15 amps.

Question: How long does it take to heat the 3 gallons of water?

Answer: It will never heat the 3-gallon tank of water. The heater is a separate tank under the hood. The water passes from the fresh tank, to the pump, then to the 8 oz heater, then to the hoses and cleaning tool. At no time will the hot water go back into the fresh water tank.

Question: How do not test the heater to make sure it is working?

Answer: Fill the machine with cold water, turn on the heater, wait 3 minutes and then squeeze the trigger. Feel the brass quick coupler that leaves the machine, and you will be able to tell the heater works because the coupler will get warm. This test is

>

only for testing the heater as you are supposed to fill the machine with hot water! The problem with testing the heater with already hot water is the water is already hot and the machine is only going to make the water hotter, making it harder to know if it is actually working.

Question: Is the machine freeze / thaw stable?

Answer: No! Letting the machine free will ruin the pump and the heater at the same time.

Question: If I do not like the machine, can I return it?

Answer: No. All new machines include a full factory parts warranty but neither the factory nor SteamBrite have a free rental program. Once you use the machine it is no longer OK to return it. How would you like us to ship you someone else's used return when you order a brand new machine? You would not like this and you expect a brand new machine when you order a brand new machine. Since these machines are sold almost at cost, offering returns is just not an option. It is way better to ask questions now and purchase the correct machine for your budget and application up front.

Question: Does the pump run all the time?

Answer: No, the pump is on a pressure switch. When you depress/ squeeze the trigger the pump will turn on, when you let go the pump will turn off.

Question: If I run out of water, will the pump self prime back up once I start cleaning again?

Answer: Maybe. If it does not prime up, water the video on youtube, search “steamBrite prime pump.”

Question: Does the machine include a plastic cleaning wand or a stainless-steel cleaning wand?

Answer: As of today 2022-04-20, they include a plastic wand. Please note the factory is super clear that they reserve the right to make changes as they see fit bases on parts availability and warranty issues without notifying the dealers or the public. All orders filled by part / model number only. This goes for color too. They reserve the right to ship you whatever color or shade they want but most orders are filled in the blue family.

Question: If I have a warranty issue, who is going to fix this machine?

Answer: You are. The factory warranty is parts only and does not include shipping or labor cost. If you have a warranty issue, you will have to remove the broken part and mail it back to the factory for testing. The factory does not ship out replacement parts until your broken part has been received. All shipping cost are handled by the customer. Please note that over 99% of all issues are customer caused by allowing the machine to freeze, allowing the pump to lose it prime, using and storing chemicals in the pump and heater, and clogged spray nozzles and will not be covered by the factory warranty. I have been selling these machines for over 20 years and currently do not know of a single warranty issue that was not caused by the customer's neglect. In other words, if you take care of the machine, it is super reliable. All warranty issues are handled by email only. You cannot call on the phone and you will be required to email photos, serial number, invoice number, and explain all the testing you have completed thus far. Example to say, “it does not work,” the factory is never going to know what part you might need… You will have to participate in the repair process and if you do not think you are OK with this, you should not purchase equipment online at a discount but rather pay full retail price at a retail store. Some parts are 90-day warranty, some are a year, and

>

the housing is 5 years but pro-rated (like a car battery.) These machines are super easy to work on and most repairs take under 15 minutes to perform. There is no reason you should ever have to ship back the entire machine.

Optional

Hose Bag G029 Carpet cleaners 24x36 Inches 8.600-175.0 Hose Net AX14
10-0510

Availability: This product was added to our catalog on Thursday 21 July, 2022