

>



Model Number: 20230106

Husqvarna 20230106, Husqvarna 970691801 Blastrac 1-8DPS30 Shot Blaster for Surface Preparation, 8 Inch 230 Volt 14 Amp

Manufacturer: Husqvarna Equipment

Husqvarna 970691801 Blastrac 1-8DPS30 Shot Blaster for Surface Preparation 8 Inch 230 Volt 16 Amp Self Propelled with free dealer supplied \$500 power supply kit!

New improvements make the Blastrac 1-8DPS30 easier to operate and handle. This economical, self-propelled shot blasting system now features drive controls on the steering handle. An EZ-adjust system for the control cage is another new feature that is operator friendly. Laser-cut components and utilization of improved manufacturing technologies along with a powder-coat finish helps assure quality construction and long life.

The 1-8DPS30's self-propelled operation improves productivity and promotes a more even and consistent blast pattern and surface profile. It consumes abrasive at less than 9 lb. per hr. and strips, cleans and profiles in one easy step to prepare concrete surfaces prior to application of coatings or overlays. Ideal for industrial floors, warehouses, commercial or residential garage floors, this shot blaster can prepare up to 450 to 600 sq. ft. per hour. The 1-8DPS30 is also perfect as a complementary unit for larger shot blasters.

Blasting Width: 8 in. (203 mm)

Travel Speed: Self-Propelled

Prod. Capacity: Up to 600 sq.ft./hr

Power: 4 HP, 230V (30 amp) Ø

Power Cord: 35ft. (10.66m)

Dust Vacuum Hose Connection: 3 in. ID (76mm)

Dimensions: L 51in x W 16in x H 47in (1295mm x 406mm x 1193mm)

Weight: Net 275 lbs

No Factory male plug provided, Use NEMA L6-30P with provided kit.

Ships after 2025-04-22.

Payment by wire transfer only.

Owners Manual

- Drive controls on adjustable steering arm – finger-tip control to operate
- EZ-adjust system for fine-tuning the control cage
- Vacuum hose containment bracket facilitates hose management

>

- EZ-grip handle integrated into shot screen tray
- Dust port now designed into shot hopper lid
- Labor and time-saving shot blasting process strips, cleans and profiles in one step & minus; cost effective and friendly to the environment
- Operates virtually dust-free when connected to BDC-23 dust collector
- Great for decorative concrete applications when preparing for overlays and coatings
- Factory states up to a 60+ day assembly time.
- Note, no power cord is included by factory.
- New default color at factory is Husqvarna Orange
-

FREE DEALER PROVIDED
STEAMBRITE EXCLUSIVE. NOT AVAILABLE FROM OTHER DEALERS.
Husqvarna PG400 PG510 PG530 L6-30 Basic Power Supply No Generator
Required 240 Volt 50 ft 10-3 Floor Grinders [51300696] Blastrac 1-8DEC
No generator required.
Video on link!

Recommended Vacuum Systems: Blastrac BDC-23, Clean Storm 20240510, Clean Storm 20230111

OPTIONAL

>

Clean Storm 20240510 HEPA Concrete Grinder Dust Slurry Collector
3Motor Wet Dry Shop Vac 335CFM Cyclonic PreSeparator

Clean Storm HEPA Concrete Grinder Dust Slurry Extractor Collector Triple
Vacuum Motors 5 Stage Filter System Wet/Dry Shop Vac 335CFM 20230111
Video On Link!

Specifications

More Information

Category
Shot Blasters

Brand
Blastrac

Amps
16 amps @ 240 volts = 4000 Watts.

Volts
220/230

Blasting Width
8 Inch

Production Rate
450 - 600 sq.ft./hr

>

Horsepower
4

Vacuum Hose Diameter
3 in.

Cord Length
35 ft. (Husqvarna states possible change coming that power cord might be eliminated or shortened to 1 foot with no L6-30 male plug)

Width
8

Weight
270 - 279

Operating Speeds
Up to 75 ft/min.

Warranty Information
One (1) year from the date of purchase on parts and labor
(Must Register online within 30 Days of Purchase)
This warranty does not include expendable parts such as, but not limited to, blades, blast wheels, wear plates, liners, seals, and electrical components

Condition
new

Manufacturer Model Number
1-8DPS30

Availability: This product was added to our catalog on Friday 06 January, 2023