

>



Model Number: 966563501A

Demo Husqvarna DM220, Core Rig Drill Motor 240v EU Plug, 10amp DM 220, 966563501A Rated A ENO50 GTIN 805544925075

Manufacturer: Husqvarna Equipment

Demo Husqvarna DM220 Core Rig Drill Motor 240v EU Plug 10amp Used DM 220 966563501A Low Speed 1Yr Repair Protection

DRILL MOTOR DM 220 220-240 V | 1-ph | 50 Hz | EU | 1 1/4" Art nr:966 56 35â€01

Top specifications

Power source Corded (Most customer change the plug to L6-20P)

Rated input power 2.5 hp

Weight 15.4 lbs

Drill bit diameter handheld, max 3 in

Powerful electric core drill for use with stand. DM 220 is the perfect choice for smaller core drilling.

Handheld electric core drill for both dry and wet drilling. DM 220 has a level guiding system with a LED indicator, making it a perfect choice when looking for a drill motor with precision and efficiency. The ergonomically designed handle with D-handle gives you good control while drilling. Handheld core drilling up to 4 in. or drilling with stand up to 6 in. Suitable for light applications such as ventilation, plumbing pipes, electrical sockets and cables. An excellent choice for professionals as well as less experienced users.

1 Year factory provided warranty.

Updated pop-up carbon brushes for longer life and service intervals

Water cooled, three speed gearbox

LED Overload monitoring

Smartstart reduces drill motor rpm to decrease vibration when starting a hole.

Water hose can be turned 180 degree for better hose management.

List \$2187

Ships from the TCMF warehouse

Only 1 at this price

Applications

Core drilling up to 3" in diameter

For reinforced concrete, bricks and other building material

Heavy-duty applications like water evacuation, channels for ventilation and plumbing, waste evacuation pipes, gas supply pipes, barriers, road signs and holes in

>

corners for wall sawing openings  
Angle drilling and positioning in all directions

Compare to current or past OEM associations:

DM280 Drill Motor

965987204

DM 280

966 55 41-04

GTIN 805544925075

## Husqvarna DM 280 Drill Motor

Water Connector  
G 1/4"

Weight  
29 lbs

Product Length  
505 mm / 19.88 Inches

Product Width  
142 mm / 5.59 Inches

Voltage  
240 Volts

Watts / Amp  
2000 / 8.66

Spindle Outer Thread  
1 1/4" 7 UNC

Max Drill Bit Size  
400 mm / 15.75 Inches

Recommended Drill bit Min  
50 mm / 2 Inches

>

Number of Gearbox Speeds  
3

Sound Power Level, Guaranteed (LWA)  
113 dB(A)

Sound Power Level, Measured  
112 dB(A)

Sound Pressure Level at Operators Ear  
98 dB(A)

Power Cord Length  
8 Feet

#### 2012 Schematics / Parts

Factory supplied 1 year warranty, optionally purchase 3 to 5 years total investment protection.

You will need to remove the EU plug and install a NEMA L6-20P to use in the USA

Demo / refurbished / blemished means: might have blemish, scratch, rust, or dent, used at a trade show, tested in the showroom by a customer, last years model, return by shipping company, returned by customer, used by factory for R&D work, no factory box. Limited stock so if you purchase it and we cannot fill the order because another customer beat you to the bargain, your money will be returned. Please do not call to see if it is still available as if the web page is up and viewable, it is available this second. If you delayed and asked if it available so you let some other customer place the order ahead of you. All sales are final. Same factory warranty as brand new: 1 years parts / 1000 hours! Extended the warranty to 3 or even 5 years for a little more with no hour exclusions.

Condition of this machine: "A" Only 1 at this price!

Our demo equipment usually has less than 100 hours on it.

Photos are not available as these ship from the factory direct as they have already been refurbished, cleaned, tested, and crated.

Ships from TCMF warehouse.

Optional

>

This kit will allow you to convert from the Eu plug to use in every building in the USA, Canada, Mexico, and Japan.  
Even includes the extra L6-20 Plug.  
Husqvarna PG280 PG450 PG530 DM340 S36 Power Supply L6-20R No Generator Required Bundle 83280365

Husqvarna DS 450 Core Drill Stand 966829808 Diameter 17.72 Inches / Travel 25 Inches DS450

Note, Husqvarna also makes a DM 340 in 120 volts and a stronger 240 volt option. This is the 120 volt version slower turning unit. The stronger unit is located

Husqvarna DM340 Core Rig Drill Motor 98 72-07 240v L6-20P 14amp DM 340 987207

240 volt version, drills faster, much easier to plug in two 15 amp cords than a single 20 amp cord, more pressure can be applied while the bits can be turned faster.

[https://www.contractorsdirect.com/husqvarna-dm280-low-speed-drill?gclid=EAlaIQobChMImPLSml6i5glVSdbACh3oEQy3EAQYBCABEgL4Tfd\\_BwE](https://www.contractorsdirect.com/husqvarna-dm280-low-speed-drill?gclid=EAlaIQobChMImPLSml6i5glVSdbACh3oEQy3EAQYBCABEgL4Tfd_BwE) \$1979.00

-->

*Availability: This product was added to our catalog on Tuesday 31 January, 2023*