

>



Model Number: S-300H D

Demo Mytee S300H D Used Tempo HEATED Spotter Extractor 1.5gal 55psi 2 Stage Hand wand and hose set GTIN 400014038707

Manufacturer: Mytee Products Inc

Used Mytee S-300H Tempo HOT Compact Light Weight Auto Detail Machine For Upholstery Cleaning, Car Interiors, and Mattress Cleaning. Rated A

S-300H Tempo™; Heated Extractor is a sub-compact machine, but a full-size performer.

Demo / refurbished / blemished means: might have blemish, scratch, rust, or dent, used at a trade show, tested in the showroom by a customer, last years model, return by shipping company, returned by customer, used by factory for R&D work, no original factory box, used to make this video above, etc. Limited stock so if you purchase it and we cannot fill the order because another customer beat you to the bargain, your money will be returned. Please do not call to see if it is still available as if the web page is up and viewable, it is available this second. If you delayed and asked if it available, your letting some other customer place the order ahead of you! Please do not delay on this once in a lifetime deal.

All sales are final.

Same factory warranty as brand new: 1 years parts!

Extend the warranty to 3 or 5 years for a little more.

Condition of this machine: "A" Only 1 at this price! Less than 40 hours of use.

All used / demo have been tested and confirmed in full working order, then all the water is blown out so it will not freeze during shipping. Unit might require re-priming the water pump to build pressure.

Don't let its small size fool you — Mytee's® S-300H Tempo™; Heated Extractor is a powerhouse. Perfect for serious auto detailing, carpet, and upholstery spotting, the 600 watt heated S-300H Tempo™; packs a lot of power into a small package. And at only 26 pounds, you'll find that the Tempo™; takes a load off your back, without taking a load out of your wallet.

Features:

One of the most powerful vacuum motors in its class producing 85% of water lift for maximum extraction

Powerful 600 watt heater

Two-stage vacuum motor reduces dry times

1 gallon tank capacity (approx.)

Compact design — weighs only 26 lbs., easy to transport and store.

Convenient transport handle and wheels

Durable in roto-molded housing

>

Includes:

4′ stainless steel or plastic upholstery tool
(Factory no longer supplies QD for hand tool)

8′ vacuum and internal solution hose combo
Heatguard Hose Wrap (Part # A104)
25′ power cord (Part # E617A)

Water Resistant Switches

Water resistant switches add protection against dust and water intrusion.

Lighted Power Cords

Lighted power cords indicator plug glows when the cord has power.

MSRP

Solution Tank
1 gallon (approx.)

Recovery Tank
1 gallon (approx.)

Body
Roto-molded polyethylene

Vacuum
2 stage

Water Lift
85"

CFM
97

Pump

>

Solenoid

PSI
55

GPM
0.37

Wheels
2" casters

Power cord
Single 25' 16/3

Amp Draw
12

Upholatory Tool
4" stainless steel

Hose
8' vacuum and internal solution hose combo

Product Weight
26 lbs

Shipping Weight
34 lbs

224937515492

Parts List

Warranty: Limited 5 year Limit warranty on housing
Body: Roto-molded polyethylene

>

Factory Provided
Westpak 10-0506 Open spray 4in Auto Detailer Tool Stainless Head 1.50in
Pipe 1 Jet
Or similar clear plastic tool - factory choice.

Power Cord: 25 ft 16-3
8 ft hose set (color: Black)
Weights 26 lbs empty
Shipping weight 23 lbs
Product size:
Shipping Box size:
Color Light blue vacuum tank, Black motor box

Factory Installed
Flojet ET508224B Oscillator 115 Volt High Pressure 1/8" Nptf Ports Part
AP30 Mytee C378 55psi
or similar

Heavy Duty Vacuum motor

Factory Installed
Mytee C316 HP Vacuum Motor 2stg 120volt Peripheral Discharge
85 inches of lift and 97 CFM
or similar

Heated detail machine
(includes hoses and wand)
120 volt for U.S. Current
Optional 230 volts for international use.
Optional Steambrite Exclusive Extended ON Site Warranty covers parts, labor,

>

shipping for an extra 2 years beyond the factory warranty!

Availability: This product was added to our catalog on Friday 17 February, 2023