Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101



Model Number: 970850701

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Manufacturer: Husqvarna Equipment

Husqvarna 970850701 K 770 Rescue

Normal
0

false
false
false

EN-US
ZH-CN
X-NONE

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="List Paragraph" />

Name="Intense Quote" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:10.0pt;
font-family:"Times New Roman",serif;}
```

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

5Hp 12 Inch Blade Cutting depth 4 Inches (No Blade Included) Freight Included
Description
Our compact and lightest rescue cutter is specially developed for rescue and clearing work. The magnesium blade guard is designed to be visible in smoke and water spray, and the digital ignition system provides a reliable and quick start in any emergency situation. Used and trusted by fire services around the world.
GTIN 805544645638

Specifications

Parts List

Owners manual

Capacity

Idling speed
2700 rpm

Idling upper limit
3500 rpm

Maximum power speed
9000 rpm

Power/weight ratio
0.33 kW/kg

Output power
5 hp

Output shaft RPM, max
4700 rpm

Peripheral speed, max

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

16000 fpm

Racing speed lower limit
9100 rpm

Dimensions

Article gross weight
12500 g

Article net weight
10600 g

Arbor diameter
0.8 in

Blade diameter, max
12 in

Blade flange diameter
4.13 in

Blade thickness, max
0.2 in

Cutting depth, max
4 in

Product size height
15.39 in

Product size length
24.33 in

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Product size width
8.7 in

Weight
22 lbs

Engine

Cylinder bore
2.01 in

Cylinder displacement
4.48 cu.inch

Cylinder stroke
1.42 in

Cylinders
1

Electrode gap
0.02 in

Engine cooling
Fan/Air

Max engine/motor
9300 rpm

Spark plug
NGK BPMR7A

Steamborite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Equipment

Starter
Manual cord with spring

Water connector
Gardena Male

Lubricants

Engine cooling
Fan/Air

Fuel consumption
470 g/kWh

Fuel tank volume
30.4 fl oz

Lubricant type (Engine)
Husqvarna 2 stroke or equiv. at 50:1

Sound and Noise

Sound power level, guaranteed (LWA)
115 dB(A)

Sound power level, measured
113 dB(A)

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Sound pressure level at operators ear
101 dB(A)

Vibrations

Daily Vibration (Aeqv)
2.3 m/s²

Daily Vibration Exposure (A8)
0.8 m/s²

Daily Vibration Time (Time factor)
1 h

Vibrations left/front handle
2.1 m/s²

Vibrations right/rear handle
2.3 m/s²

Emission Data EPA

Exhaust emissions (CO average)
432.0 g/kWh

Exhaust emissions (CO FEL)
536 g/kWh

Exhaust emissions (COâ„‚ average)
717 g/kWh

Steambrite Supply

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Exhaust emissions (HC average)
49.27 g/kWh

Exhaust emissions (NOx average)
0.94 g/kWh

Emission Data EU

Exhaust emissions (CO average)
428.16 g/kWh

Exhaust emissions (COâ„ average)
711 g/kWh

Exhaust emissions (HC average)
51.36 g/kWh

Exhaust emissions (NOx average)
0.94 g/kWh

Packaging

Packaging length
700 mm

Packaging width
250 mm

Packaging height
430 mm

Steambrite Supply

Construction Equipment > Concrete Saws Cutters > Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Husqvarna 970850701 K 770 Rescue 5Hp 12IN Blade Cutting depth 4IN No Blade GTIN 805544645638 Replaces 967809101

Optional

Husqvarna Vari-Cut 12 Inch Blade 542751358 Cutting Concrete Brick Roof Tile Flint Granite Marble Natural Stone Iron

Availability: This product was added to our catalog on Monday 07 August, 2023

Steambrite Supply