



Model Number: 20230818

Do It Yourself Level 2 240-Volt 16 Amp EV Charging Station Electric Vehicle Nema Dual 5-15P Plugs To J1772 20230818

Manufacturer: Clean Storm

Do It Yourself Level 2 240-Volt 16 Amp EV Charging Station Compatible With Toyota bZ4X Electric Vehicle Charger Car Nema Dual 5-15P Plugs To J1772

Do it yourself and Save \$800 to \$1500 by NOT hiring an electrician to install your charger. Average install time is less than five minutes!

Description

The EV Charge Solutions portable electric vehicle charger is a Level 2 station that delivers 16 amps (3.84kW) to your vehicle. This is a compact portable station that is an ideal solution for low-cost charging in your garage or to keep in the trunk of your EV for charging at work or on trips. The charging station features a control box with LEDs indicating the status of the charge. There is a description for each light pattern in the product photos above. The charger comes with a soft gel cap that covers the connector and keeps it from getting wet or dirty. The J1772 charger grip and power cord are water resistant for use in the rain. Please keep the charging box dry.

Works with all plug in hybrids and EV including but not limited to:

Audi A3 Sportback, Audi A3 e-Tron, BMW i3 REX, BMW E-Golf, BMW 330e, BMW 740e, BMW i8, BMW X5 xDrive40e, Cadillac ELR, Chevy Bolt EV, Chevy Volt, Chrysler Pacifica Hybrid, Citroen C-Zero, Fiat 500e, Ford Evos Hybrid, Ford Focus EV, Ford C-Max, Ford C-Max Energi, Honda Clarity, Hyundai Ioniq, Karma Fisker, Kia Soul EV, Mercedes-Benz C350e, Mercedes-Benz GLE550e, Mercedes-Benz S550e, Mercedes-Benz B-Class Electric Drive, and B250e, Mia Electric Car and Van, Mini Countryman, Mitsubishi Outlander PHEV, Mitsubishi-I Miev and Outlander Phev, Nissan NV200 SE Van, Nissan Leaf, Peugeot Ion and Galicia, Porsche Cayenne SE Hybrid, Porsche Panamera SE Hybrid, Smiths Edison Van and Newton, Subaru Crosstrek PHEV, Tata Indica Vist EV, Tesla Roadster, Tesla Model X, Tesla Model S 70D, Tesla Model S P85D, Toyota Prius Prime, Vauxhall Ampera, Volvo XC90, Toyota bZ4z, and many many more.

Features:

- **JUST PLUG-IN AND CHARGE:** Level 2 portable EV charger. Requires dual NEMA 5-15 receptacle socket.
- **UNIVERSAL COMPATIBILITY:** Charges every brand of EV on the market.
- **FAST AND EASY:** Charges 100% faster than your 120 volt Level 1 cord that came with the car. The means most cars drop from 20 hour charge to under 10 hours. (Total empty to total full)
- Features control box with LED charge status indicators.
- Rated current and voltage: 240V AC | 16 Amp (3840 watts) | UL Listed J1772 SAE connector
- 15 lbs
- 12.8" X 13" X 12"
- Extra Long 7 Meter / 25 ft power cord.

Specifications

Voltage
240V

Amperage
16 Amp

Insulation resistance
1000M Ω (DC500V)

Terminal temperature rise
 $\leq 50K$

Withstand voltage
2000V

Min. Working Temp
-30 $^{\circ}$ C

Max Working Temp
50 $^{\circ}$ C

Charging plug meets SAE J1772 standards
Power plugs meet NEMA 5-20P standards
Control box meets SAE J1772 control principle
Excellent protection performance, protection grade IP55
No need to hire an electrician to move up to level 2 speeds.

Parameters

Mechanical life: no-load plug in/pull out \geq 10000 times
Drop Load: 1 Meter / 3.3 ft Impact of external force.
Run Over Load: Tested that car can roll over charger nozzle 2 Times!

Materials

Case Material: Thermo plastic, flame retardant grade UL94-0
Contact Pin: Copper alloy, silver + thermo plastic on the top
Sealing gasket: rubber or silicon rubber

Control Box

Leakage protection(Restart recover)

Over-voltage under-voltage protection (self-checking recover)

Overload protection (self-checking recover)

Lightning and surge protection

One Year Warranty

*Requires dedicated dual 120 Volt 20 Amp circuit / NEMA 5-15R Receptacles.

Not every combination of 2 breakers works so you simply test with the momentary button to test the voltage. If you get a green light, you are all set. Every home, business, office, has the ability to make this work in the USA, Mexico, Canada, Colombia, and Japan! No electrician required. Inspect breaker box to make sure you have 20 amp breakers. Test the polarity with a polarity tester. Try two outlets if you do not get a green light, just relocate one of the power cords until the light turns green when you hold down the voltage tester.

Just relocate on extension cord until you get a green light. Does not work on GFCI or LCI outlets. Each power cord must be plugged into 2 different phases. Phase locator light on power supply box. If you have GFCI outlets, you will have to replacement with standard wall outlets before this charger will work.

Video

Pictures

Optional

Electrical Outlet Receptacle Polarity Tester 3 wire 120 volt 20100823

Replaces both items below

Compatible with Toyota bZ4X

Electric Vehicle Charger EVSE 220-240v Level 2 Car Nema 6-20P Plug To J1772 EV Charging Station Duosida 20180613

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Travel Power Supply Box
Power Joiner Level 2 Step Up Inverter Electric AC Converts Dual 20 amp 115
Volt outlets to 240 Volt 3 wire 20 amp Use [Reverse6-20R]

Additional Information

Understanding the differences between different types of electric charger cables.

PLEASE INSTALL A WHOLE HOME SURGE AND LIGHTNING ARRESTER
PROTECTION TO PROTECT BOTH YOUR CHARGING CABLE AND THE CARS
COMPUTER!

LIGHTNING STRIKES ARE NOT A MANUFACTURE DEFECT AND WILL NOT BE
COVERED. In the photo to the right, the round item below the box, on the left is the
lightning arrester, the rectangular item on the right is the surge protector. These can
be installed under the main panel or in the panel (if you have room).

Photo shows lightning arrestor Delta LA302RG and Siemens FS140 whole home
surge protector. It does not have to be these brands.

Tips: One customer wrote, "I plugged into different walls, not the same outlet, and it
did not work."

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Table 3D effects 1" />
Name="Table 3D effects 2" />
Name="Table 3D effects 3" />
Name="Table Contemporary" />
Name="Table Elegant" />
Name="Table Professional" />
Name="Table Subtle 1" />
Name="Table Subtle 2" />
Name="Table Web 1" />
Name="Table Web 2" />
Name="Table Web 3" />
Name="Balloon Text" />
Name="Table Theme" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="List Paragraph" />

Name="Intense Quote" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Steambrite Supply

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

/* Style Definitions */

```
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
```

Answer: This is incorrect step / understanding.
 In order to have the charger work, it must be plugged into different phases.
 There are two phases of power in every home.
 Half of all the outlets are on left phase, and the other half is on right phase.
 You must land on one of each in order for the charger to work.
 This means if I just randomly check two outlets in a home, I could be plugged into two left side phases, 2 right side phases, or 1 of left + 1 right (correct use of charging cord.)
 If you look at the breaker box I a garage and see the column of breakers on the left side and then a column on the ride side.
 The way a breaker box is wired is the top left breaker is left phase, the 2nd from the top left strait down the left column is right phase, 3rd down is left column is left phase, 4th down is right phase. These breakers alternate all the way down each column.
 The top right column of breakers works the same way. You have to land on one left and one right to make this item work.
 Since this EV charging station will not work with GFCI or LCI outlets you can also replace a GFCI outlet with a standard wall receptacle if the closest outlet next to the car is GFCI.
 If the two breakers you want to use are on the same phase, simply change the location of one of the two breakers to be in a different position in the column. This is easy to do and only takes a screw driver. Go outside and turn off the breaker and turn off the breaker that is labeled as 'main.' Go back to the garage and take off the garage panel cover. Grab the breaker you want to relocate and simply switch positions with another breaker either one up or one down in the column.
 This will put the break on a different phase. See video below on how to do this.
<https://youtu.be/BG9I-PokSdl?si=m06267ZWR54Tiknu>
 Once you are on different phases, and press the momentary phase location button on your EV Charging Station, the green light will be bright green telling you, you selected one left and one right phase and you are good to charge your car.

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

<https://www.walmart.com/ip/Home-Electric-Vehicle-Charger-EV-110-220Volt16A-3X-Faster-EVSEJ1772/650674603>
\$163.98
-->

Availability: This product was added to our catalog on Friday 18 August, 2023