

>



Model Number: 20231025

DriStorm 20231025 Goliath Quad 6.6 Vac Flood Pumper 350CFM 26gal Pressure Washer Recovery APO 120v HEATED 21000 BTU

Manufacturer: Clean Storm

DriStorm 20231025 Goliath Quad 6.6 Vacs Flood Pumper 26gal Pressure Washer Recovery APO 120v w Lint Filtration HEATED 21000 BTU

The worlds strongest electric flood extraction machine now with free heat, not and electric heater!

Video below is of the baby brother model made with quad two stage. This sku is for quad 6.6 vacs and requires four 15 am breakers to operate. This machine is 15 HG @ 350 CFM!

Video above of the original smaller Goliath Heated Electric Truckmount Package

Goliath Plus

Quad Vac Flood pumper The Industries Strongest Water Extraction Machine and Electric Pressure Washer Vacuum Recovery!

New Larger Waste Tank Size: 26 gallon (20" X 20" X 15")

Body Construction: Fiberglass box for durability, capable of full steam pick up.

Vacuum Motors: Four 6.6 vacuums (will operate over 350+ ft of 2" vacuum hose!)

Vacuum motors are configured: each pair is in series and then both pairs are in parallel for the best of both worlds of high cfm and high inches of lift. Full 15" Hg Lift.

New Larger Flat Lid

Automation: 30 GPM STAINLESS STEEL sump pump with water level sensor

(machines automatically dumps the dirty water as you clean for non stop production)

Draws only 3.5 amps.

Features:

- Dual ball float/standpipe for increased air flow and vacuum performance.
- Water and vacuum tight hinged with gasketed reinforced lid.
- Quad 50 ft. 12-3 power cords

Factory Included

Four Extension Power Cord 50 ft 12-3 115 volt AX33 860831 E530 M1394

- Circuit locator,
- 12" rear wheels stair climbing wheels.
- Front mounted GFI w/ waterproof cover.

>

- Built in Auto Defoamer with adjustment knob.

Mytee B112 1/8" Fip Screwed Bonnet Needle Valve 122440
Inject defoamer for water extraction and flood recovery
or
Inject water for concrete slurry pick up

- Dual cam lock waste water discharge - Garden hose for cleans and 1-1/2" dump hose for floods (your choice)
- Machine will operate on either one, two, three, or all four power cords (see below)
-

Factory Installed
Quad Clean Storm Fiberglass Vacuum Motor Manifold 20131023

Allows for steam and hot water vacuum recovery without the worry of traditional plastic manifold collapse.

- When optionally running just 2 of the vacuum motors, you have the option to run the vacuum motors in series or parallel. Build it air stack check valve prevents air traveling through the motors not in use.
- Made in the USA
-

Factory Installed Clean Storm 30 GPM Stainless Steel Automatic Pump Out
12499 Mytee C384

•

>

Factory Installed Valterra: Gate Valve 1.5in Replacement Dump Valve
H225 Drain Valve

Installed Carpet Cleaners: 2" Mip X 2" Barbed Truckmount vacuum hose
connector
on front of machine.
Allows you to use either 2" or 1-1/2" ID vacuum hose (your choice)

FREE Dealer Provided Hydro-Force: Truckmount Carpet Cleaning Hose
Mount Lint Filter AC10 HydroFilter

Included at no extra charge

Used to remove hair and carpet fibers from the water to protect auto pump
out system

Installed Water Resistant Rocker Switches: 2 Position On/Off - 4 pinned
with built in dust and water cover
5 installed on this machine
One switch for each vacuum motor and one for the auto dump pump
override.

>

Factory Installed Pair Locking Front 5 inch Caster

Keeps machine from rolling around during transport and on step driveways.

- Technical Specification

-

Factory Installed

Over 21,000 BTU of Heat

Male and female Garden hose connected.

Hook your garden hose cold water or building supplied warm water to heat up the water before to leave this heater and goes to your pressure washer (not supplied) in the bundle.

Works off the heat that leaves the bottom of the machine off of the 4 vacuum motors at up to 340 cfm and 180 degrees.

Clean Storm Goliath Heat Exchanger Replacement SBMHX

-

Optional electric adjustable pressure washer.

Hook to the hot water coming out of the Goliath Heat exchanger

Adjustable pressures from 100 to 1200 psi

You will need a fifth power cord.

Clean Storm 20220217 Connection kit PumpTec 80346 Water Otter 1200 PSI Pressure Washer Pump For Tile Carpet Cleaning Shock Wave with

- Primary cord (15.5 amps) runs (1) vac motor in air series with ball float shutoff and sump pump. If a secondary circuit is not available, machine would perform on this cord. Wired with an in-line GFI and cooling fan.
- Remaining three power cords (12.5 amp average) runs one each of the

>

remaining (3) other vac motors in air series twin pair configuration.

- Twin 1-1/2" ball float shutoff with lint filtration.
- One vacuum stand pipe with check valve will let you run one, two, three or all four vacuum motors depending on how much electricity is available on the job site. One 120 volt power cord per vacuum motor.

- Single 2" vacuum intake.
- Garden hose cam lock adapter for carpet and tile cleaning for garden hose dirty water discharge
- 1-1/2" cam lock adapter for flood restoration (seen in photo below) for 1.5" diameter dirty water discharge.
- (5) Green lighted splash proof rocker switches.
- Blue tank/Gray base. Lids can be white or black. (current color black)
-

Factory Installed Quad (4) Ametek Lamb 122234-18 6.6 Vac Motor 120 volts
Note each vacuum motor is on its own power cord using 12.5 amps of

power

Twin series pair configuration
340 cfm
215" lift (15hg)
73,100 vacuum units
50 amp total vacuum system
(same performance of a 20 hp 36 blower gasoline truckmount)

- Gallon of liquid defoamer can be set on top of extractor on jobs where you need to cut some suds. (auto dump systems only dump water and not bubbles)

Unit Measurements:

- Handle height is 43-1/8".

Machine dimensions" 43-1/8"H x 23"W x 30" L

(we can make the machine handle shorter for smaller SUV's)

- Weight (assembled) = 106 lbs. w/out cords.

Can be ordered with no wheels and no handle for permanent installation on a tongue of a pressure washing trailer. Footprint is only 20" X 15"

Goliath Advantages:

1. 26 gallon recovery tank
2. Auto defoamer needle valve means non stop production.
3. 2" vac port will run either 2" or 1-1/2" vacuum hose.
4. The highest lift and highest CFM extractor on the market. Nothing comes close.

>

This machine is impressive when it comes to suction. This machine will run longer hose lengths and dry carpet better than any other electric machine that is operating on four power cords. 50 amp total vacuum system @120 volt = 6000 watts vacuum performance!

5. Will operate on one, two, three, or all four 15 amp power cords.
6. Dual port water pump out discharge. Toggle back and forth between automatic dumping out a garden hose (for cleaning jobs) or out a 1-1/2" vacuum hose (water extraction jobs), your choice.
7. Switch plate cover will keep your water resistant switch covers in place. Unlike some other brands the clear water protection cover can fall off once the machine gets old or if it gets knocked around.
8. Fiberglass body is not affected by steam vacuum recovery as plastic housing get soft.
9. Easily converts into an air duct cleaning machine, tile cleaning machine, carpet cleaning machine, auto detail extractor.
10. Designed to work perfectly with electric converters and run on 15 hp (420cc) generators and larger.
11. New larger longer lasting carbon brushes and sealed bearing vacuum motors.

Owner's Manual

These results were achieved with an open vacuum tank

POWERFUL 30 GPM AUTO DUMP

This unit sold as Machine Only

This unit may be filled in Blue or Green. Color is NOT guaranteed but usually filled in Blue!

Auto Defoamer with adjustment knob

QUAD 6.6 VACUUM MOTORS IN SERIES/PARALLEL
AS PER MANUFACTURERS RECOMMENDATION, MOTORS ARE MOUNTED IN A WAY THE BALANCES THE VACUUM (lift) AND THE VOLUME (cfm), BY MOUNTING THE VACS IN SERIES PAIRS THEN THE PAIRS ARE MOUNTED IN PARALLEL. THIS BALANCES THE LIFT AND CFM, GIVING BETTER

>

PERFORMANCE THAN HAVING ALL 4 MOTORS IN SERIES (high lift but nominal cfm) OR ALL 4 IN TANDEM (plenty cfm but wimpy vacuum). SO FAR ONLY STEAMBRITE MFG GIVES YOU THIS SUPERIOR DELIVERY SYSTEM FOR 4 VAC MOTORS.

Q&A:

Question: Will the machine operate on a customer's electric dryer plug?

Answer: Yes. This was the idea behind this machine. One plug to run just vacuum and auto dump. If you want to run a pressure washing pump, you will need to operate that pump on gasoline or throw another power cord to the porch or inside the building. An electric dryer plug will offer up to 60 amps @ 120 volts or 7200 watts but with power cord length, you have to allow for wire resistance. This is the reason for this design. We did not want to make this machine a 60 amp vacuum to allow for wire loss resistance. By making a 50 amp design allows you to run 75 feet of power cord to your machine.

Question: How large of a generator would I need to have to run this?

Answer: Any 420 cc (15 hp) generator will work. Example below BE9000ER. Please note when using optional generators you will need to also use the 240 volt plug with converters (NEMA L14-30R) or the L5-30R. If using a generator, please do not try to operate by just plugging into the 120 volt outlets (NEMA 5-15R) because it is important to pull electricity evenly out of both sides of the generator. Please make sure you properly ground your generator. See notes on how to bond your generator to the ground.

Question: What is involved in switching between using one power cord to two cords, to three power cord, and then to use all four vacuum motors?

Answer: Nothing! We have a check valve installed on one of the vacuum stacks. This way if you are only using one power cord it shuts off the stack you are not using to prevent air from sucking backwards through the system. When you are using as a dual corded machine, you have the option to use in air series or air parallel by simply just turning on the two vacuum motors you want. Because each power cord will operate on 15 am breakers, it plugs in everywhere. No need to pre-qualify if the outlet is a 20 amp breaker.

Question: Does the machine include the bubble top lid or the flat lid?

Answer: The flat lid. The bubble top lid are some photos that carried over from the 20 gallon model. All the 26 gallon machines have flat lids with a twist and lock latch.

Testimonial:

"Vacuum is awesome! I love the automatic flood pumping ability. I have worked with the Boxxer 427 for many years and found my Goliath Quad 6.6 feels stronger to me!"

<https://superior-carpet-cleaning-texas.com/>

"I wanted to let you know how pleased I am with you recommending the Goliath 6.6 quad vacuum recovery and the be9000 watt generator. I did a basement flood job that was approximately 4 inches deep on the concrete. I thought I would be there all day but the Goliath had the water

>

out and job done in 1-1/2 hours! The Goliath will really pump 30 gal. a min like its stated on your web site. I highly recommend the Goliath. Thanks Gary Lindbom" garyscarpetclean.com

by Ricky Smith

The 6.6 Goliath recovery system is a beast. I was some what surprised at how well it performed. The pump out is as strong as any truckmount system or even stronger. The situp is very simple as it should be. Easy to use and the build quality seems to be very strong. The suction power is great. The system has no problem keeping up with a 4 gpm power washer on just 2 vacuums on. Cleaning out the waste tank is simple and made easier with the drain valve on the front of the unit. The extension cords are high quality which are sent with the vacuum. I will recommend the Goliath system to any new business or current power washers that need a water recovery system. Great Job Steambrite.

Testimonial:
Suction is great!

>

<https://www.wvrugcleaning.com/>

"I used the Goliath Quad 6.6 to perform a tile cleaning service using the TH15 spinner wand and the Clean Storm 6720 pressure washer.

The job site required me to leave the machine on a higher floor than the surface being cleaned.

With the pressure washer set at 1700 psi and applying the water with dual 02 jets using the TH15 spinner wand

Cleaning one and two floors below the Goliath I only needed to run two vacuum motors to pick the water straight up vertically 40 ft and over horizontally 100 ft. using 150 ft of 2" ID vacuum hose.

Cleaning 3 and 4 floors straight up (80 ft) and over 100 ft, I used 3 vacuum motors.

Cleaning 5 floors (100 ft) straight up plus 100 ft. horizontally, I ran all 4 vacuum motors and it worked perfectly!"

<https://www.naturalcleaningsystems.ca/index.html>

MACHINE ONLY!! For cost w/accessories, see package options!
One Year Warranty Included.

Also available in 230 volts for \$350 extra + a one month lead time.

Starter packages available to clean:

Air Ducts, Tile and Grout Cleaning, Water Extraction, Carpet Cleaning (either high flow and high pressure),

OPTIONS:

Clean Storm Basic 2 Inch Dustdowner Sprays Water Inside Vacuum Hose -
54676554 - FG0051 - AH128

Hook to water pressure to spray water inside of your vacuum hose for dry dirt and concrete slurry pickup.

To be used in conjunction with the B112 Needle valve to inject water into the vacuum stream

Installs between two sections of vacuum hose away from the machine to give time for the water and dust to mix.

Clean Storm Goliath Dry Vacuum Option

Turn your Goliath into the worlds strongest dry vacuum cleaner.



Electric Truckmount Electrical Converter Starter 3 Package Bundle

10-30R Electric Converter Generator L14-30P to drier converter adapter

Steambrite Supply

>

BE Pressure Supply: PowerEase 9000 watt Generator Electric Start
7100 watt run BE9000ERUSC
- Extended Warranty + No Extended Warranty
- Shipping Surcharges + None Commercial Address With Forklift or
Loading Dock On Site

Electrical Converter 240 volt 4 wire/prong 30 amp L14-30P TO 115 volt 4
Gang GFCI (8 outlets with Breakers) Generator Adapter

>



Steam

>

Shazaam: Convert Portable to a Truckmounted Carpet Cleaning Machine and Leave outside with Generator, Reel, Power Cord

Westpak 10-0556-Kit 14in Carpet Cleaning Wand Starter Package 1.5in Pipe 4 Jet 2 Bend Low Profile W/ Splash Guard

NorthStar: Gas-Powered Wet Steam & Hot Water Pressure Washer 6.5 hp 2700 PSI, 2.5 GPM-157309

Clean Storm 6720 Cleaning Units 2100 psi 3.2 gpm Cold Electric Pressure Washer 2 Power Cords 115 Volts

Where did the name Goliath Carpet Cleaning Machine come from?
<https://www.steam-bright.net/showthread.php?3389-Were-did-the-name-Goliath-Carpet-Cleaning-machine-come-from&p=5477#post5477>

Blending the power of your two power corded portable carpet cleaning machine..

We compare the top flood extraction units on the market to see how they compare. Click Here is the list of features to look for.

To see our vacuum motor testing visit
<https://www.steam-brite.com/forum/showthread.php?p=3004#post3004>

>

Availability: This product was added to our catalog on Thursday 26 October, 2023

Steambrite Supply