

>



Model Number: 53 URAI DSL

Dresser Roots 53 URAI DSL Blower T30359020 5 week back order

Manufacturer: Howden Roots Blowers

Dresser Roots 56 URAI DSL Blower

QUESTION: If I purchase a cross over blower and it does not fit, will Steambrite or the factory waive the 25% restocking fee?

ANSWER: No. To purchase a similar performing blower is your decision as it states on every webpage, "All other warranties, express or implied, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose, are hereby disclaimed"

THANKS FOR YOUR UNDERSTANDING.

Max Flow: 580 CFM

Max Pressure: 10 psi

Max Vacuum: 15" Hg

Max Speed: 2850 RPM

MAX FLOW:

580

MAX PRESSURE:

10 psi

MAX VACUUM:

15" Hg

MAX SPEED:

2850 RPM

MANUFACTURER:

>

Howden Roots

Product Description

Roots Model 53 URAI DSL

Flow Range: to 480 CFM

Max Δ Pressure: 10 psi

Max Δ Vacuum: 15 Prime; Hg

Max RPM: 2850

Min RPM: 763

Max Δ T: 225 $^{\circ}$ F

Connection: 4 Prime; FPT

Shaft Dia.: 1.125 Prime;

Drive End Lubrication: Oil

Gear End Lubrication: Oil

Required Oil Gear End Horizontal Unit: 27.6 ounces

Required Oil Drive End Horizontal Unit: 14.8 ounces

Required Oil Gear End Vertical Unit: 16 ounces

Required Oil Drive End Vertical Unit: 7.5 ounces

Unit Weight: 148 pounds (79.5 kg)

Shipping Box Size (LxWxH): 24.5 Prime;x19.5 Prime;x20 Prime;
(622mmx495mmx508mm)

Shipping Container: Cardboard Box with formed foam

NOTE: Default shaft orientation is LEFT HAND -- Unit can be mounted with top hand crank, bottom hand crank, left hand crank or right hand crank. Can be spun in either direction. Simply change the mounting feet and relocate the breather port to the top.

Common carrier is recommended

Compare Dresser Roots VS Tuthill VS Gardner Denver / Sutorbilt Blower - Crossover Charts

Important Option

Oil level must be topped off on new blowers

Oil level must be changed after 50 hour break in period.

Oil level must be changed every 200 hours after break in period.

Gardner Denver 28G46 Brand Blower Oil Aeon PD-XD Full Synthetic Formula

Extra Heavy Duty for High Heat Applications 28G47-QT

Add to your shopping cart now!

>

"These blower and vacuum pumps are for sale and use in the carpet cleaning industry only as some OEM configuration have special coatings, or even mounting holes drilled in them. Example These blowers won't work for Easy Air Package equipment as it is not drilled and tapped to mount a fan. All other applications for use outside the carpet cleaning industry cannot be guaranteed."

Howden Terms

http://store.tomlinequipment.com/index.php?main_page=index&cPath=8_1_3

-->

Availability: This product was added to our catalog on Thursday 21 December, 2023