



Model Number: 20231227

Rent Husqvarna S36P Propane Vacuum Dust Slurry Extractor 10Hp Pullman Ermator San Antonio TX 20231227 GTIN 805544352055

Manufacturer: Husqvarna Equipment

San Antonio, TEXAS Rental Husqvarna S 36 Propane Vacuum Dust Extractor And Slurry Management Honda 10Hp Used S36 Pullman Ermator 201000671E 967760101A

Rental Rate for San Antonio, TX is \$150 per day + all the filters + propane must be purchased. See below.

Optional \$450 a week / \$1350 for a month.

Optional purchase this unit.

Demo Husqvarna S36P Propane Vacuum Dust Extractor Slurry Management 967760101A Honda 10Hp Used S 36 P Pullman Ermator 285cfm A Rated 25% OFF Applied

You own the filters for re-used during each rental and Longopac

Current propane cost is \$4 per gallon.

Unit includes 33 ft of 2.5" ID vacuum hose.

Ratchet straps required to hold load during transport. It is not OK to simply transport without strapping it down.

We will force you to purchase ratchet straps if you do not bring some.

Pick up and drop off is M-Friday between 8 am and 4:30PM

Pick up at 18975 Marbach Lane # 200-C, San Antonio, TX 78266

S 36 Propane is a very powerful propane HEPA dust extractor to match Husqvarna Soff-Cut 4000, Soff-Cut 2500, Soff-Cut 2000, Soff-Cut 150, as well as small to mid size electric, propane or other petrol grinders, shot blasters and shavers. This professional dust extractor is designed to meet strict demands. Equipped with two independently tested and certified HEPA H13 filters and a massive cone-shaped pre-filter with over 4.5 m2 of media. This results in superior dust collection, even of fine sanding and gypsum dust. Features include Jet Pulse pre-filter cleaning and air-flow manometer for filter control. The Longopac® bag hose system ensures simple, dust-free bag changes.

Uses standard 2" ID vacuum hose.

454 lbs use weight / 206 Kg

285 CFM

102" water lift  
1170mm L X 693mm W X 1590mm H

Husqvarna Pullman Ermator S36 Propane Dust and Slurry Hepa Vacuum

Engine  
Honda 11 Ph Air Cooled HOV  
Drop down Logopac disposal system

Displacement  
389cc  
Coated Pre-filter Socks

Net Torque  
17.8 lbf -ft @2500 rpm  
JetPulse filter cleaning

Compression  
7.7 to 1  
Cam Lock Hose Connection

Carburetor  
Float Type  
Direct Drive Magnetic clutch

Start  
Electric with Recoil back up  
O2 Sensor

Governor System  
Centrifugal Mechanical  
Low Oil Shut down

Bore X Stroke  
88 X 64mm  
Plastic Battery Box die down

Net Power Output  
10.2 Hp  
HEPA Certified Filtration

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Air Cleaner  
Dual Element  
California Certified Motor

Compare to current or past OEM associations:

967808001  
967 80 80-01  
S 36  
S36  
Pullman Ermator 967760101  
S36P  
20100067IE

All sales are final.

Factory reserves the right to change exact specifications without notices.  
Ships in Red, Orange, and Black (customer does not pick)

Customer is responsible for all shipping surcharges including but not limited to, limited access fee when not forklift on site, lift gate fee to lower pallet to the street, calling for an appointment because your not always on location M-F 8-5. Sale tax add to product cost and shipping fees.

Pullman Ermator Sales Brochure  
Schematics

Optional

Clean Storm F00B Generic Husqvarna Ermator Longopac 4 Pack Refill  
1376013 590429201 10-590429201 14 Inch Diameter Freight Included

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

2 units needed

Husqvarna 590429801 Hepa Filter Ermator 200700070A 590 42 98-01

Rent Husqvarna 970616805 BMG 555P Propane Concrete Floor Grinder 22  
Inches 724 lbs San Antonio Texas Rental 220-2322

1 unit needed

Clean Storm F36 Husqvarna 590430202 Conical HEPA Filter S36 UPC  
805544270922 590 43 02-02

Video On Link

Clean Storm HEPA Concrete Grinder Dust Slurry Extractor Collector Triple  
Vacuum Motors 5 Stage Filter System Wet/Dry Shop Vac 335CFM 20230111

Availability: This product was added to our catalog on Wednesday 27 December, 2023