

>



Model Number: 501906502

Husqvarna 501906502 Diamond Grinding Double Segment G1445D 50 Grit Medium 3PCS Redi Lock ENO25 GTIN 805544204583

Manufacturer: Husqvarna Equipment

Husqvarna 501906502 Diamond Grinding Segment G1445D 50 Grit Medium 3PCS Redi Lock 25% Off Promo Applied

Used on the following Husqvarna floor grinders: PG 820, PG 680, PG 530, PG 450, PG 680 RC, PG 510, PG 400, PG 280

Optimal rated for Concrete medium hard and semi-polished concrete
Acceptable rated for vinyl glues, paint, thin epoxy, thick epoxy.

GTIN 805544204583

SOLD IN 3-PACKS

- * Medium bond, made for medium surfaces
- * Grit options from 20 / 30 / 50 / 100
- * Optional single or double segment
- * 13mm segment height

Benefits

- * Changing the size of the diamond grit to a smaller particle / grit size will affect the performance of the diamond tool in the following ways:
 - * Working with a single segment will increase the pressure on each segment.
 - * Working with a double segment will decrease the pressure on each segment, reducing the wear rate on the diamond segments. This will lead to a smoother scratch pattern, and will also reduce the load on the machine.
 - * Half Set Diamonds placed at three alternating positions on the diamond holder disc (diamonds at four alternating positions).
 - * Full Set Diamonds placed at each of the six positions on the diamond holder disc (diamonds at all eight positions).
 - * Power and Weight - The power of the machine is a very important factor. A more powerful machine enables the operator to choose harder bond tools.

501899901- Single segment, 20 grit, Two Notch Shape

501899902- Double segment, 20 grit, Two Notch Shape

501900701- Single segment, 30 grit, One Notch Shape

501900702- Double segment, 30 grit, One Notch Shape

501900801- Single segment, 50 grit, Rounded End Shape

501900802- Double segment, 50 grit, Rounded End Shape

501901501- Single segment, 100 grit, Round Shape

501901502- Double segment, 100 grit, Round Shape

Also see Husqvarna G1410 Diamond Grinding Segments Orange Soft

>

Article Number
Color
Segment Design
Grit Size
Bond Hardness

GRD.SEG G1413S 20GR X-Soft 3PCS 501897901 / 501 89 79-01
Orange
Single
20
Extreme Soft

GRD.SEG G1414S 30GR X-Soft 3PCS 501898901 / 501 89 89-01
Orange
Single
30
Extreme Soft

GRD.SEG G1415S 50GR X-Soft 3PCS 501899201 / 501 89 92-01
Orange
Single
50
Extreme Soft

GRD.SEG G1416S 100GR X-Soft 3PCS 501899701 / 501 89 97-01
Orange
Single
100
Extreme Soft

GRD.SEG G1413D 20GR X-Soft 3PCS 501897902 / 501 89 79-02
Orange
Double
20
Extreme Soft

GRD.SEG G1414D 30GR X-Soft 3PCS 501898902 / 501 89 89-02

>

Orange
Double
30
Extreme Soft

GRD.SEG G1415D 50GR X-Soft 3PC 501899202 / 501 89 92-02
Orange
Double
50
Extreme Soft

GRD.SEG G1416D 100GR X-Soft 3PC 501899702 / 501 89 92-02
Orange
Double
100
Extreme Soft

.
All Husqvarna Diamond Segments are being sold at our dealer cost. Do not call in your orders! Must be ordered on line. Your billing address must match your shipping address or your order will not be filled. Do not call in and ask for tracking, all request must be performed on line or we will lose money and have to quit providing this free service!

Optional

Clean Storm HEPA Concrete Grinder Dust Slurry Extractor Collector Triple
Vacuum Motors 5 Stage Filter System Wet/Dry Shop Vac 335CFM 20230111
Video On Link!

>

Availability: This product was added to our catalog on Wednesday 03 January, 2024

Steambrite Supply