



Model Number: 20240213

Add Commercial Surge Protection, GFCI and 20 Amp Breaker to Any 120 Volt Item 20240213 IP65 Rating

Manufacturer: Clean Storm

Add Surge Protection, GFCI, and 20 Amp Breaker to Any 120 Volt Item 20240213

Triple electrical protection.

NEMA 5-15P X Dual 5-20R GFCI with 20 amp push to reset breaker

Heavy Duty rubber feet keeps box up off the floor.

IP65 Water Resistant Rating

When bench testing equipment, repair tech will need some way to power on and off equipment safely.

This keeps any shorts and malfunctions from going back to the main breaker and shutting off.

Resettable GFCI and resettable 20 Amp push button breaker.

Made with 12 AWG wire.

Surge and lighting protection specs:

20kA (20,000) Maximum Discharge Current (Imax)m 8/20us

• Meets ANSI C82.77-5 2015: Location C High

• Meets ANSI C136.2 2015: Extreme Level

• Meets IEEE C62.41.2: Location Category C High

• Meets US Dept. of Energy MSSLC Model Spec.

• Thermally protected Notes: 1. Self-declared compliance.

• IP66 rated, dust-tight and water resistant

• IEC61643-11 Class II/ EN61643-11 Type 2 Compliant1

• CE Mark - Meets the requirements of Low Voltage and RoHS European Directives.

Box is 6 X 6 X 6

Build includes:

6in X 6in X 4in Plastic Electric Electrical Job Junction Box (solid)

20131010

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

NEMA 5-20R GFCI Receptacle Outlet with Led White 20 amp 120 volt  
GP-DG20WWB

Clean Storm 3266 Strain Relief System for Heavy Duty 1/2in Thick  
Power Power Cords NM5038 JE Adams 8549

1/2 Fip Jam Locknut Zinc Plated Steel Conduit 20180507

Clean Storm 10-0838 Male Cord Pigtail 12-3 13 inches Overall Length  
Extension Replacement

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Clean Storm Panel Mount 20 amp push button resettable breakers  
PP33-900163 PP140634 20ACBB GTIN 10719249131518

Blue Solderless Fork Wire Connector Each 20210419

Solderless Fork Nylon-Insulated Brass Crimp Sleeve Spade Terminals  
624303 10-12 Awg

Fully Nylon-Insulated Female EZ Disconnect 14-16 AWG each  
4X299-1 BLUE Solderless Connector 1/4in Wide

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Rubber Feet Compatible with air movers converter boxes and heaters  
.875in Wide X .53in Tall 3/16in Hole with washer G050

Black Wire 12 Awg Per foot Primary strained - 8.905-875.0 -  
[89058750] 12awg

Green Primary Ground Wire Per Foot 14 Awg Stranded

Liquid Nails Silicone Premium Universal Sealant LS-205  
77027045031 0022078400735 348039899

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

---

Availability: This product was added to our catalog on Tuesday 13 February, 2024